# PRO FLOWLEVEL<sup>™</sup> FIBER REINFORCED by PROMA Adhesives Inc.

### Health Product Declaration v2.3 created via: HPDC Online Builder

### HPD UNIQUE IDENTIFIER: 32530

CLASSIFICATION: 03 54 16 Hydraulic Cement Underlayment

PRODUCT DESCRIPTION: PRO FLOWLEVEL<sup>™</sup> FIBER REINFORCED is a very high-strength, high-performance, quick-setting, low-prep, single component, highly polymer-modified, fiber reinforced, Portland cement/Gypsum-based self-leveling and self-finishing underlayment. PRO FLOWLEVEL<sup>™</sup> FIBER REINFORCED is formulated with PROMA's exclusive Stabilized Technology<sup>™</sup>, which minimizes movement and shrinkage during curing for superior results. The product also greatly reduces the need for shotblasting and profiling saving valuable time and money.

# Section 1: Summary

### CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
   Basic Method
- O Basic Method
- Threshold Disclosed Per
- C Material

Product

Residuals/Impurities Evaluation Completed in 8 of 8 Materials

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Nested Method / Product Threshold**

For all contents above the threshold, the ma	nufacturer has:
Characterized	• Yes O No
Provided weight and role.	
Screened	O Yes O No
Provided screening results using HPDC-app	roved
methods.	
Identified	O Yes O No
Provided name and CAS RN or other identifi	ier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Threshold Level

C 100 ppm

O Other

• 1,000 ppm

O Per GHS SDS

### NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

### GREENSCREEN SCORE | HAZARD TYPE

BINDER A [ PLASTER OF PARIS NoGS PORTLAND CEMENT LT-P1 | CAN | END | MAM CALCIUM CARBONATE BM-3dg *QUARTZ* BM-1 | CAN | MAM | GEN ] FILLER A [ SAND ] BINDER B [ CEMENT, ALUMINA, CHEMICALS LT-UNK | POLYMER [ UNDISCLOSED LT-UNK | MUL | UNDISCLOSED LT-UNK | MUL UNDISCLOSED LT-UNK | CAN || MUL UNDISCLOSED LT-UNK | MUL |] ADDITIVE B [ UNDISCLOSED LT-UNK | MUL | UNDISCLOSED BM-4 ] ADDITIVE A [ UNDISCLOSED LT-UNK | MUL | UNDISCLOSED BM-4 ] ADDITIVE A [ UNDISCLOSED LT-UNK | MUL | UNDISCLOSED BM-4 ] ADDITIVE A [ UNDISCLOSED LT-UNK || EYE | MAM UNDISCLOSED LT-1 | CAN | MUL || EYE | MAM | SKI | DEV | REP UNDISCLOSED LT-1 | CAN | MUL | MAM | EYE | SKI || DEV | REP ] ACCELERATOR [ UNDISCLOSED LT-UNK | MUL |] FILLER B [ UNDISCLOSED LT-P1 | RES | CAN || MUL |]

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified becasue some are prorpietary.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? O Yes

• No

PREPARER: Vertima VERIFIER: VERIFICATION #: SCREENING DATE: 2023-04-26 PUBLISHED DATE: 2023-04-26 EXPIRY DATE: 2026-04-26 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

NDER A	%: 50.0000 - 70.0000				
RODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVA	ALUATION CO		IATERIAL TYPE: Geologic Iaterial	ally Derived
ESIDUALS AND IMPURITIES N	IOTES: There are no residuals at or ab	ove the decla	ration threshold.	Natural impurities may or	ccur.
THER MATERIAL NOTES: Ran	ges are used to protect product exact	recipe.			
PLASTER OF PARIS					ID: 26499-65
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD SC	CREENING DATE	2023-04-26 5:45:15	
%: 55.0000 - 85.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROL	E: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD Pric	ority Hazard Lis <sup>4</sup>
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	I	
None found SUBSTANCE NOTES: Range	es are used to protect product exact re	cipe.	N	o listings found on Additic	nai Hazard Lis
	s are used to protect product exact re	cipe.	N	o listings found on Additic	
SUBSTANCE NOTES: Range	s are used to protect product exact reasons are used to protect product exact product exact reasons are used to protect product exact product exact reasons are used to protect product exact product exact product exact reasons are used to protect product exact product			-	ID: 65997-11
SUBSTANCE NOTES: Range				: 2023-04-26 5:45:15	ID: 65997-1
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD SO	CREENING DATE	: <b>2023-04-26 5:45:15</b>	ID: 65997-1
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Pha %: 10.0000 - 40.0000	aros Chemical and Materials Library GreenScreen: LT-P1	HAZARD SO	CREENING DATE NANO: <b>No</b> WARNINGS Carcinogen Gr	: <b>2023-04-26 5:45:15</b>	ID: 65997-1
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Pha %: 10.0000 - 40.0000 HAZARD TYPE	aros Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE	HAZARD SC RC: None	CREENING DATE NANO: <b>No</b> WARNINGS Carcinogen Gr but not sufficie	2023-04-26 5:45:15 SUBSTANCE ROL	ID: 65997-1
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Pha %: 10.0000 - 40.0000 HAZARD TYPE CAN	aros Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK	HAZARD SC RC: None	CREENING DATE NANO: <b>No</b> WARNINGS Carcinogen Gr but not sufficie Potential Endo H372 - Causes repeated expo	2023-04-26 5:45:15 SUBSTANCE ROL oup 3B - Evidence of card ent for classification	ID: 65997-1 E: Binder cinogenic effect gh prolonged o ns/systemic
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Pha %: 10.0000 - 40.0000 HAZARD TYPE CAN END	aros Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Disr	HAZARD SC RC: None	CREENING DATE NANO: <b>No</b> WARNINGS Carcinogen Gr but not sufficie Potential Endo H372 - Causes repeated expo	2023-04-26 5:45:15 SUBSTANCE ROL oup 3B - Evidence of card ent for classification crine Disruptor damage to organs throug sure [Specific target organs ng repeated exposure - C	ID: 65997-1 E: Binder cinogenic effec gh prolonged o ns/systemic
SUBSTANCE NOTES: Range PORTLAND CEMENT HAZARD DATA SOURCE: Pha %: 10.0000 - 40.0000 HAZARD TYPE CAN END MAM	aros Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Disr GHS - Japan	HAZARD SC RC: None	CREENING DATE NANO: No WARNINGS Carcinogen Gr but not sufficie Potential Endo H372 - Causes repeated expo toxicity followin NOTIFICATION	2023-04-26 5:45:15 SUBSTANCE ROL oup 3B - Evidence of card ent for classification crine Disruptor damage to organs throug sure [Specific target organs ng repeated exposure - C	ID: 65997-1 E: Binder cinogenic effect gh prolonged o ns/systemic ategory 1]

CALCIUM CARBONATE					ID: 1317-65-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-04-26 5:45:16	
%: 0.0000 - 15.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: F	iller
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority	Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additional	Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos	Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-26 5:45:16
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	ogens	Occupational C	arcinogen
CAN	CA EPA - Prop 65		Carcinogen - sp route	pecific to chemical form or exposure
CAN	US NIH - Report on Carcinogen	S	Known to be Hu occupational se	uman Carcinogen (respirable size - etting)
CAN	МАК		Carcinogen Gro man	oup 1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agen from occupation	t is carcinogenic to humans - inhaled nal sources
CAN	IARC		Group 1 - Agen	t is Carcinogenic to humans
CAN	US NIH - Report on Carcinogen	S	Known to be a l	human Carcinogen
CAN	GHS - Japan		H350 - May cau 1A]	se cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cau - Category 1A c	use cancer by inhalation [Carcinogenicity or 1B]
CAN	GHS - New Zealand		Carcinogenicity	category 1
МАМ	GHS - Japan		repeated expos	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
GEN	GHS - Japan		H341 - Suspect mutagenicity - (	ed of causing genetic defects [Germ cell Category 2]
МАМ	GHS - Australia		repeated expos	damage to organs through prolonged or sure [Specific target organ toxicity - sure - Category 1]
MAM	GHS - New Zealand		Specific target category 1	organ toxicity - repeated exposure

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATIO	ON
None found			No listings found on Additional Hazard Lists
SUBSTANCE NOTES:			
FILLER A	%: 20.0000 - 40.0000		
PRODUCT THRESHOLD: 1000 opm	RESIDUALS AND IMPURITIES EVALU Yes	JATION COMPLETED:	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NO	TES: There are no residuals or impuritie	es at or above the declara	ation threshold.
OTHER MATERIAL NOTES: Range	es are used to protect product exact red	cipe.	
SAND			ID: Geological Material
HAZARD DATA SOURCE: HPD	C Special Conditions Policy		
%: <b>100.0000</b> GreenScr	een: Not Required RC: No	NANO: No	MATERIAL ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
	Hazard Screening is not applic	able to this Special Cond	lition
INGREDIENT DESCRIPTION A	ND COMPOSITION: Natural silica sand		
COUNTRY OF ORIGIN: Canada	a		
RADIOACTIVE ELEMENTS: Tra	ace amounts by natural abundance		
POTENTIAL PRESENCE OF TO toxic metals are found in this n		ovided information and/o	or internal testing, it is determined that no
MATERIAL CONTENT NOTES:			
BINDER B	%: 1.0000 - 5.0000		
PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALU	JATION COMPLETED:	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NO	TES: There are no residuals or impuritie	es at or above the declara	ation threshold.
)THER MATERIAL NOTES: Range	es are used to protect product exact red	cipe.	
3		-	

AZARD DATA SOURCE:			
	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 20	023-04-26 5:45:17
%: <b>100.0000</b>	GreenScreen: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		No warning	gs found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listi	ings found on Additional Hazard List
SUBSTANCE NOTES:			
DLYMER	%: 1.0000 - 5.0000		
ODUCT THRESHOLD: 10	000 ppm RESIDUALS AND IMPURITIES E	VALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Mater
SIDUALS AND IMPURITI	ES NOTES: There are no residuals or impuri	ties at or above the declaration th	reshold.
	Ranges are used to protect product exact r	acina	
		colpo.	
INDISCLOSED			ID: Undisclos
IAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Libra	ry HAZARD SCREENING DATE	2023-02-01 9:52:58
%: <b>70.0000 - 100.0000</b>	GreenScreen: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Polymer specie
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
MUL	German FEA - Substances Hazar Waters	dous to Mult*	
	EC - CEPA DSL	Persistence	
MUL	EC - CEPA DSL	Mult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listi	ings found on Additional Hazard Lis
SUBSTANCE NOTES: R	anges are used to protect product exact rec	ipe. Furthermore, this substance i	s undisclosed as it is proprietary.
INDISCLOSED			ID: Undisclos
		ry HAZARD SCREENING DATE:	2023-02-01 9:53:00
IAZARD DATA SOURCE:	I oxnot Chemical Hazard Screening Libra		
AZARD DATA SOURCE: %: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None NANO: No	SUBSTANCE ROLE: Carrier
		RC: None NANO: No WARNINGS	SUBSTANCE ROLE: Carrier

None found

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCR	EENING DATE:	2023-02-01 9:53:01
%: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE	WAF	RNINGS	
CAN	МАК	Carc	inogenicity	
	EC - CEPA DSL	Pers	istence	
MUL	Quebec CSST - WHMIS 1988	Mult	*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOT	IFICATION	
None found			No listir	ngs found on Additional Hazard List

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD S	CREENING DATE:	2023-02-01 9:53:02
%: 0.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE	V	/ARNINGS	
MUL	German FEA - Substances Hazardou Waters	us to N	lult*	
	EC - CEPA DSL	P	ersistence	
MUL	EC - CEPA DSL	Ν	lult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ν	OTIFICATION	
None found			No listi	ngs found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

ADDITIVE B	%: 0.5000 - 3.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES	: There are no residuals or impurities at or above the declaration the	nreshold.
OTHER MATERIAL NOTES: Ranges a	re used to protect product exact recipe. A generic material name is	used for proprietary reasons.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Toxnot	Chemical Hazard Screening Library	HAZARD	SCREENING DA	TE: 2023-02-01 9:53:04
%: <b>94.0000</b> GreenSc	creen: LT-UNK	RC: Non	e NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardou Waters	us to	Mult*	
	EC - CEPA DSL		Persistence	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE	E: Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-04-26 5:45:16
%: 6.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Co (EU EC)	mmission	EU - REACH Exe	emptions
	× ,		Exempted from safety	REACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

ADDITIVE A	%: 0.0000 - 0.5000				
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVAL	UATION COMPLET	TED: Yes	MATERIAL TYPE: P	olymeric Material
RESIDUALS AND IMPURITIES NOTES	3: There are no residuals or impurities	at or above the de	claration thre	eshold.	
OTHER MATERIAL NOTES: Ranges a	re used to protect product exact recip	pe. A generic mater	rial name is u	sed for proprietary r	easons.
OTHER MATERIAL NOTES: Ranges a	re used to protect product exact recip	be. A generic mater	rial name is u	sed for proprietary r	easons.
OTHER MATERIAL NOTES: Ranges a	re used to protect product exact recip	oe. A generic mater	rial name is u	sed for proprietary r	easons. ID: Undisclosed
UNDISCLOSED	re used to protect product exact recip Chemical Hazard Screening Library			sed for proprietary r 2023-02-01 9:53:08	ID: Undisclosed

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
МАМ	Japan - GHS	Systemic Toxicity/Organ Effects (Single Exposure)
EYE	Japan - GHS	Eye Irritation/Corrosivity
	EC - CEPA DSL	Persistence
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

#### UNDISCLOSED **ID: Undisclosed** HAZARD SCREENING DATE: 2023-02-01 9:53:09 HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library %: 0.0000 - 25.0000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Defoamer HAZARD TYPE LIST NAME AND SOURCE WARNINGS Australia - GHS Carcinogenicity CAN EU - Annex VI CMRs CAN Carcinogenicity EU - GHS (H-Statements) CAN Carcinogenicity CAN EU - REACH Annex XVII CMRs Carcinogenicity MUL ChemSec - SIN List Mult\* CAN Japan - GHS Carcinogenicity MUL German FEA - Substances Hazardous to Mult\* Waters EC - CEPA DSL Persistence MUL EC - CEPA DSL Mult\* EYE Japan - GHS Eye Irritation/Corrosivity MAM Australia - GHS Acute Mammalian Toxicity SKI Japan - GHS Skin Irritation/Corrosivity EC - CEPA DSL Bioaccumulation Australia - GHS DEV **Developmental Toxicity** REP Australia - GHS **Reproductive Toxicity** SKI Australia - GHS Skin Irritation/Corrosivity ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION No listings found on Additional Hazard Lists None found

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED

HAZARD DATA SOURCE: To	xnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-02-01 9:53:10		
%: 0.0000 - 25.0000	GreenScreen: LT-1	RC: None NANO: No SUBSTANCE ROLE: Defoamer		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	Australia - GHS	Carcinogenicity		
CAN	EU - Annex VI CMRs	Carcinogenicity		
CAN	EU - GHS (H-Statements)	Carcinogenicity		
CAN	EU - REACH Annex XVII CMRs	Carcinogenicity		
MUL	ChemSec - SIN List	Mult*		
MUL	German FEA - Substances Hazardoo Waters	us to Mult*		
MAM	Japan - GHS	Acute Mammalian Toxicity		
MUL	EC - CEPA DSL	Mult*		
EYE	Japan - GHS	Eye Irritation/Corrosivity		
MAM	Australia - GHS	Acute Mammalian Toxicity		
SKI	Japan - GHS	Skin Irritation/Corrosivity		
MAM	Japan - GHS	Systemic Toxicity/Organ Effects (Single Exposure)		
	EC - CEPA DSL	Bioaccumulation		
DEV	Australia - GHS	Developmental Toxicity		
REP	Australia - GHS	Reproductive Toxicity		
SKI	Australia - GHS	Skin Irritation/Corrosivity		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

### ACCELERATOR

%: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Inorganic salt

RESIDUALS AND IMPURITIES NOTES: There are no residuals at or above the declaration threshold. Natural impurities may occur.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

UNDISCLOSED				ID: Undisclosed			
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SO	CREENING DATE:	2023-02-01 9:53:13			
%: 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Reagent			
HAZARD TYPE	LIST NAME AND SOURCE	W	ARNINGS				
MUL	German FEA - Substances Hazardo Waters	German FEA - Substances Hazardous to M Waters					
	EC - CEPA DSL	Pe	ersistence				
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NG	DTIFICATION				
None found			No listi	ngs found on Additional Hazard Lists			
	is substance is undisclosed as it is proprietar	y.					
FILLER B	%: 0.1000 - 0.5000						
PRODUCT THRESHOLD: 10	00 ppm RESIDUALS AND IMPURITIES EVA	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material					
RESIDUALS AND IMPURITIE	ES NOTES: There are no residuals or impuritie	es at or above	the declaration th	reshold.			
OTHER MATERIAL NOTES:	Ranges are used to protect product exact rec	cipe.					
UNDISCLOSED				ID: Undisclosed			

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-02-01 9:53:15		
%: 97.0000 - 100.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	V	VARNINGS	
RES	AOEC - Asthmagens	Respiratory Sensitization		
CAN	IARC	Carcinogenicity		
	EC - CEPA DSL	F	Persistence	
MUL	EC - CEPA DSL	Ν	/lult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Ν	IOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

1

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# VOC EMISSIONS CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All. CERTIFICATE URL: ISSUE DATE: 2023-03-13 EXPIRY DATE: CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

## 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **PRO SUPERPRIME™**

MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122\_PRO\_SUPERPRIME\_.pdf

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Shot-blasting or profiling is not required for most concrete flooring when using PRO FLOWLEVEL<sup>™</sup> FIBER REINFORCED. When in doubt, PRO SUPERPRIME<sup>™</sup> or PRO SUPERPRIME 1C<sup>™</sup> can be used to ready nearly any surface for PROMA leveling underlayments.

### PRO SUPERPRIME 1C<sup>™</sup>

MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122\_PRO\_SUPERPRIME\_1C.pdf ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Shot-blasting or profiling is not required for most concrete flooring when using PRO FLOWLEVEL<sup>™</sup> FIBER REINFORCED. When in doubt, PRO SUPERPRIME<sup>™</sup> or PRO SUPERPRIME 1C<sup>™</sup> can be used to ready nearly any surface for PROMA leveling underlayments.

# Section 5: General Notes

PRO FLOWLEVEL<sup>™</sup> 40 FIER REINFORECED does not contain any VOCs. The product comes in powder form. It is mixed to water on site prior to usage.

### MANUFACTURER INFORMATION

MANUFACTURER: **PROMA Adhesives Inc.** ADDRESS: **9801**, **Parkway Anjou Quebec H1J 1P3**, **Canada** WEBSITE: www.proma.ca / www.proma.us

CONTACT NAME: Caroline Sow TITLE: R&D LAB DIRECTOR PHONE: 514.852.8585 EMAIL: caroline.sow@proma.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### KEY

### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

### PRO FLOWLEVEL FIBER REINFORCED