PRO GROUT[™] MAX 2.0 by PROMA Adhesives Inc.

HPD UNIQUE IDENTIFIER: 32002 CLASSIFICATION: 03 60 00 Grouting

PRODUCT DESCRIPTION: PRO GROUT[™] MAX 2.0 is an ultra-premium, next-generation, polymer-modified, rapid-curing, efflorescence-free "hybrid" cement grout. PRO GROUT[™] MAX 2.0 has an advanced-technology aggregate that offers the advantages of unsanded grout (vertical application, narrow joints and very low tile scratching) and sanded grout (floor application, wide joints and high compressive strength). The product formulation also eliminates the common issues associated with Portland-cement grouts, such as efflorescence and color consistency. Mixed with water, the 2-in-1 performance of PRO GROUT[™] MAX 2.0 allows grouting from 1.5 mm (1/16") to 25 mm (1") wide. PRO GROUT[™] MAX 2.0 also provides unparalleled color uniformity with exceptional non-sag properties and is ideal for fast-track, time-constrained projects as it allows foot traffic just 3 hours after application.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 C Basic Method
- O Basic Method
- Threshold Disclosed Per
- C Material
- O Product

Threshold Level C 100 ppm C 1,000 ppm C Per GHS SDS C Other Residuals/Impurities Evaluation Completed in 17 of 17 Materials Explanation(s) provided for Residuals/Impurities? © Yes © No

Nested Method / Product Threshold

For all contents above the threshold, the	manufacturer has:
Characterized	O Yes O No
Provided weight and role.	
Screened	O Yes O No
Provided screening results using HPDC-	approved
methods.	
Identified	○ Yes ⊙ No
Provided name and CAS RN or other ide	ntifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BINDER A [CEMENT, ALUMINA, CHEMICALS LT-UNK] FILLER B [SILICA SAND] BINDER B [PORTLAND CEMENT LT-P1 | CAN | END | MAM CALCIUM OXIDE BM-2 | SKI | MAM | EYE] BINDER C [PLASTER OF PARIS NoGS QUARTZ BM-1 | CAN | MAM | GEN] FILLER A [UNDISCLOSED LT-UNK | MUL UNDISCLOSED LT-1 | CAN | | MAM | MUL | GEN] PIGMENT B [UNDISCLOSED BM-1 | CAN] PIGMENT G [UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | CAN] PIGMENT F [UNDISCLOSED BM-1 | SKI | MAM] PIGMENT E [UNDISCLOSED LT-1 | CAN | END | MAM UNDISCLOSED NoGS | PIGMENT D [UNDISCLOSED BM-1 | CAN | EYE | MAM] PIGMENT C [UNDISCLOSED BM-1 | CAN | MAM | EYE | SKI] PIGMENT A [UNDISCLOSED LT-UNK] FILLER C [BENTONITE LT-UNK] POLYMER [UNDISCLOSED LT-UNK | MUL | UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | MUL | UNDISCLOSED LT-P1 | MUL | AQU | MAM] RETARDER [UNDISCLOSED LT-UNK | MUL | AQU | DEV] ACCELERATOR [UNDISCLOSED LT-UNK | MUL] ADDITIVE [UNDISCLOSED LT-UNK | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category. Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1

Nanomaterial ... Yes

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified becasue some are prorpietary.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1. Third Party Verified? [•] Yes [•] No PREPARER: Vertima VERIFIER: VERIFICATION #: SCREENING DATE: 2023-04-03 PUBLISHED DATE: 2023-04-03 EXPIRY DATE: 2026-04-03 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

NDER A	%: 30.0000 - 50.0000				
RODUCT THRESHOLD: 1000 pm	RESIDUALS AND IMPURITIES EVA	ALUATION COM		ATERIAL TYPE: Geologi aterial	cally Derived
ESIDUALS AND IMPURITIES I	NOTES: There are no residuals or imput	rities at or above	e the declaration	n threshold.	
THER MATERIAL NOTES: Rar	nges are used to protect product exact	recipe.			
					10. 65007.46
CEMENT, ALUMINA, CHEMIC				0000 04 00 7 40 40	ID: 65997-16-
HAZARD DATA SOURCE: Pr	aros Chemical and Materials Library	HAZARD SCR	EENING DATE:	2023-04-03 7:40:40	
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RO	E: Binder
HAZARD TYPE	LIST NAME AND SOURCE	V	VARNINGS		
None found			No war	nings found on HPD Pri	ority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	٢	OTIFICATION		
None found			No	listings found on Additi	onal Hazard Lists
SUBSTANCE NOTES:					

 FILLER B
 %: 20.0000 - 40.0000

 PRODUCT THRESHOLD: 1000
 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
 MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

					ogical Mate
HAZARD DATA SOURCE:	HPDC Special Conditions Policy				
%: 90.0000 - 99.9000	GreenScreen: Not Required RC:	None	NANO: No	MATERIAL ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	Hazard Screening is not ap	oplicable to thi	s Special Condition		
INGREDIENT DESCRIPTIO	ON AND COMPOSITION: Natural silica s	and			
COUNTRY OF ORIGIN: US	SA				
RADIOACTIVE ELEMENTS	3: Radioactive elements in trace amount	ts by natural at	oundance.		
POTENTIAL PRESENCE O	F TOXIC METALS: Naturally occuring to	oxic metals in	trace amounts		
MATERIAL CONTENT NO	TES: Ranges are used to protect produc	ct exact recipe	and account for pr	oduct variability	
NDER B	%: 5.0000 - 15.0000				
RODUCT THRESHOLD: 100 m	0 RESIDUALS AND IMPURITIES EV Yes	VALUATION C		TERIAL TYPE: Geologically terial	/ Derived
ESIDUALS AND IMPURITIES	S NOTES: Residuals or impurities may b anges are used to protect product exact		r above the declara	tion threshold; therefore, tl	ney are liste
SIDUALS AND IMPURITIES substance list. HER MATERIAL NOTES: R			r above the declara		-
SIDUALS AND IMPURITIES e substance list. HER MATERIAL NOTES: R		ct recipe.			-
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE:	langes are used to protect product exac	ct recipe.		I	D: 65997-1
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT	langes are used to protect product exact Product exact Product exact Pharos Chemical and Materials Library	ot recipe.	CREENING DATE:	2023-04-03 7:40:41	D: 65997-1
SIDUALS AND IMPURITIES substance list. HER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: 6: 100.0000 - 100.0000	Ranges are used to protect product exact Pharos Chemical and Materials Library GreenScreen: LT-P1	ot recipe.	CREENING DATE: NANO: No WARNINGS Carcinogen Grou	2023-04-03 7:40:41	D: 65997-1 Binder
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: %: 100.0000 - 100.0000 HAZARD TYPE	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou	2023-04-03 7:40:41 SUBSTANCE ROLE: I p 3B - Evidence of carcino for classification	D: 65997-1 Binder
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: (100.0000 - 100.0000 HAZARD TYPE CAN	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu	2023-04-03 7:40:41 SUBSTANCE ROLE: I p 3B - Evidence of carcino for classification	D: 65997-1 Binder Igenic effect
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: %: 100.0000 - 100.0000 HAZARD TYPE CAN END	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Dis	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu	2023-04-03 7:40:41 SUBSTANCE ROLE: I p 3B - Evidence of carcino for classification ine Disruptor amage to organs through p re [Specific target organs/s	D: 65997-1 Binder ogenic effect prolonged c
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: %: 100.0000 - 100.0000 HAZARD TYPE CAN END MAM	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Dis GHS - Japan	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu toxicity following NOTIFICATION	2023-04-03 7:40:41 SUBSTANCE ROLE: I p 3B - Evidence of carcino for classification ine Disruptor amage to organs through p re [Specific target organs/s	D: 65997-1 Binder Igenic effect prolonged c systemic gory 1]
ESIDUALS AND IMPURITIES a substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: (6: 100.0000 - 100.0000 HAZARD TYPE CAN END MAM ADDITIONAL LISTINGS	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Dis GHS - Japan	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu toxicity following NOTIFICATION	2023-04-03 7:40:41 SUBSTANCE ROLE: I up 3B - Evidence of carcino for classification ine Disruptor amage to organs through p re [Specific target organs/s repeated exposure - Cate	D: 65997-1 Binder Igenic effect prolonged c systemic gory 1]
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: (A: 100.0000 - 100.0000 HAZARD TYPE CAN END MAM ADDITIONAL LISTINGS None found SUBSTANCE NOTES:	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Dis GHS - Japan	t recipe. HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu toxicity following NOTIFICATION	2023-04-03 7:40:41 SUBSTANCE ROLE: I up 3B - Evidence of carcino for classification ine Disruptor amage to organs through p re [Specific target organs/s repeated exposure - Cate	D: 65997-1 Binder ogenic effect orolonged c systemic gory 1] Hazard Lis
ESIDUALS AND IMPURITIES e substance list. THER MATERIAL NOTES: R PORTLAND CEMENT HAZARD DATA SOURCE: (3): 100.0000 - 100.0000 HAZARD TYPE CAN END MAM ADDITIONAL LISTINGS None found SUBSTANCE NOTES: CALCIUM OXIDE	Pharos Chemical and Materials Library GreenScreen: LT-P1 LIST NAME AND SOURCE MAK TEDX - Potential Endocrine Dis GHS - Japan	y HAZARD S RC: None	CREENING DATE: NANO: No WARNINGS Carcinogen Grou but not sufficient Potential Endocr H372 - Causes d repeated exposu toxicity following NOTIFICATION No I	2023-04-03 7:40:41 SUBSTANCE ROLE: I up 3B - Evidence of carcino for classification ine Disruptor amage to organs through p re [Specific target organs/s repeated exposure - Cate	D: 65997-1 Binder ogenic effect prolonged o systemic gory 1]

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Antimicrobials
SUBSTANCE NOTES:		

RODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVA	ALUATION COMPLETE		TERIAL TYPE: Geolog erial	ically Derived
ESIDUALS AND IMPURITIES N	IOTES: There are no residuals at or ab	ove the declaration thr	eshold. Na	atural impurities may	occur.
THER MATERIAL NOTES: Ran	ges are used to protect product exact	recipe. Furthermore, t	nis substa	nce is undisclosed as	it is proprietary.
PLASTER OF PARIS					ID: 26499-65-
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD SCREENIN	G DATE:	2023-04-03 7:40:42	
%: 95.0000 - 100.0000	GreenScreen: NoGS	RC: PreC NA	NO: No	SUBSTANCE RO	LE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNI	NGS		
None found			No warni	ings found on HPD Pr	iority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFI	CATION		
			NL- P	stings found on Addit	ional I laneval I iata

QUARTZ

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE	2023-04-03 7:40:43
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residua
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Ca	arcinogen
CAN	CA EPA - Prop 65		Carcinogen - sp route	ecific to chemical form or exposure
CAN	US NIH - Report on Carcinogens	5	Known to be Hu occupational se	man Carcinogen (respirable size - tting)
CAN	МАК		Carcinogen Gro man	up 1 - Substances that cause cancer in
CAN	IARC		Group 1 - Agent from occupatior	is carcinogenic to humans - inhaled nal sources
CAN	IARC		Group 1 - Agent	is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	5	Known to be a h	numan Carcinogen
CAN	GHS - Japan		H350 - May cau 1A]	se cancer [Carcinogenicity - Category
CAN	GHS - Australia		H350i - May cau - Category 1A o	use cancer by inhalation [Carcinogenicit r 1B]
CAN	GHS - New Zealand		Carcinogenicity	category 1
МАМ	GHS - Japan		repeated exposit	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
GEN	GHS - Japan		H341 - Suspecte mutagenicity - C	ed of causing genetic defects [Germ cel Category 2]
MAM	GHS - Australia		repeated exposi	damage to organs through prolonged or ure [Specific target organ toxicity - ure - Category 1]
МАМ	GHS - New Zealand		Specific target c category 1	organ toxicity - repeated exposure
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard List

SUBSTANCE NOTES:

 FILLER A
 %: 1.0000 - 10.0000

 PRODUCT THRESHOLD: 1000
 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived Material

 RESIDUALS AND IMPURITIES NOTES: There are no residuals at or above the declaration threshold. Impurities may be present.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

LINI		ICC		CC	
VIV	יש	30	LU	SE	

ID: Undisclosed

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SC	REENING DATE:	2023-02-15 7:51:33
%: 97.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
MUL	Quebec CSST - WHMIS 1988	Mu	lt*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION	
None found			No listir	ngs found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe and account for variability in product. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-02-15 7:51:35
⁄o: 2.1000 - 3.0000	GreenScreen: LT-1	RC: None NANO: No SUBSTANCE ROLE: Impurity
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	Australia - GHS	Carcinogenicity
CAN	CA EPA - Prop 65	Carcinogenicity
CAN	IARC	Carcinogenicity
CAN	МАК	Carcinogenicity
CAN	US NIH - Report on Carcinogens	Carcinogenicity
CAN	Japan - GHS	Carcinogenicity
CAN	New Zealand - GHS	Carcinogenicity
	EC - CEPA DSL	Persistence
MAM	New Zealand - GHS	Systemic Toxicity/Organ Effects (Repeated Exposure)
MUL	EC - CEPA DSL	Mult*
MUL	Quebec CSST - WHMIS 1988	Mult*
MAM	Australia - GHS	Systemic Toxicity/Organ Effects (Repeated Exposure)
MAM	Japan - GHS	Systemic Toxicity/Organ Effects (Repeated Exposure)
MUL	Australia - GHS	Mult*
GEN	Japan - GHS	Mutagenicity/Genotoxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lis

SUBSTANCE NOTES: This is a naturally occuring impurity.

PIGMENT B	%: 0.0000 - 5.0000				
PRODUCT THRESHOLD: 1000 pp	m RESIDUALS AND IMPURITI	ES EVALUAT	ION COMPLETED:	Yes	MATERIAL TYPE: Metal
RESIDUALS AND IMPURITIES NO	DTES: There are no residuals or impu	rities at or ab	ove the declaration	threshold.	
OTHER MATERIAL NOTES: Rang	es are used to protect product exact	recipe. A ger	eric material name	is used for pr	oprietary reasons.
UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE: Pha	ros Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-03 7	:40:41
%: 99.0000 - 100.0000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTAN	ICE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	МАК		Carcinogen Grou but not sufficient	•	ce of carcinogenic effects ion
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No li	stings found o	on Additional Hazard Lists

PIGMENT G

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Inorganic

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

AZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-03 7:40:42
%: 80.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Ag EPA)	ency (US	US EPA - DfE Sa	afer Chemicals Ingredients list (SCIL)
			Colorants - Gree	en Circle (Verified Low Concern)
	nges are used to protect product exact re	aina Buthara	are this substand	no in undicalaged as it is propriatory
SOBSTANCE NOTES. Ha	iges are used to protect product exact rea	sipe. nutrieni		se is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-04-03 7:40:43
%: 0.0000 - 20.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		0	up 3B - Evidence of carcinogenic effects t for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

PIGMENT F

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-04-03 7:40:43
%: 99.0000 - 100.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	МАК		Sensitizing Subs	stance Sh - Danger of skin sensitization
МАМ	GHS - Japan		repeated exposu	damage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	010 0000000	Product Standard Restricted (RSL) - Effective July 1, 2022
			Biological and E	nvironmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	010 0000000	Product Standard Restricted (RSL) - Effective July 1, 2022
			Children's Produ	ucts

PIGMENT E	%: 0.0000 - 5.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NO	TES: There are no residuals or impurities at or above the declar	ation threshold.
OTHER MATERIAL NOTES: Range	s are used to protect product exact recipe. A generic material r	name is used for proprietary reasons.

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2023-04-03 7:40:44	
%: 92.5000 - 100.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE	E: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS			
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route			
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CAN	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value			
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
CAN	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]			
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]			
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]			
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
		Cosmetics & Personal Care Products			
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)			
		Colorants - Green Circle (Verified Low Concern)			
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022			
		Formulated Consumer Products			
SUBSTANCE NOTES: Ranges a	SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Ruthermore, this substance is undisclosed as it is proprietary.				

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-04-03 7:40:44
%: 3.6000 - 4.2000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

PIGMENT D

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos	Chemical and Materials Library	HAZARD SC	CREENING DATE:	2023-04-03 7:40:45
%: 99.5000 - 99.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcino	gens	Occupational Ca	arcinogen
CAN	МАК		-	up 3B - Evidence of carcinogenic effects t for classification
CAN	CA EPA - Prop 65		Carcinogen - sp route	ecific to chemical form or exposure
CAN	IARC		Group 2B - Poss from occupation	sibly carcinogenic to humans - inhaled al sources
EYE	GHS - New Zealand		Eye irritation cat	egory 2
CAN	GHS - New Zealand		Carcinogenicity	category 2
CAN	GHS - Japan		H351 - Suspecte Category 2]	ed of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated exposi	lamage to organs through prolonged or ure [Specific target organs/systemic g repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

PIGMENT C

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

UNDISCLOSED				ID: Undisclose
HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-04-03 7:40:46
%: 99.0000 - 100.0000	GreenScreen: BM-1	RC: UNK	NANO: Yes	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	МАК		0	up 3B - Evidence of carcinogenic effects t for classification
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or ire [Specific target organs/systemic i repeated exposure - Category 1]
EYE	GHS - Japan			erious eye damage [Serious eye itation - Category 1]
SKI	GHS - Japan		H315 - Causes sl Category 2]	kin irritation [Skin corrosion / irritation -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists

PIGMENT A

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

UNDISCLOSED			ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DA	TE: 2023-04-03 7:40:44
%: 99.0000 - 100.0000	GreenScreen: LT-UNK	RC: UNK NANO: Y	es SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
None found		Nov	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATIO	DN
None found			No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ra	nges are used to protect product exact re	cipe. Ruthermore, this subst	ance is undisclosed as it is proprietary.
FILLER C	%: 1.0000 - 5.0000		
PRODUCT THRESHOLD: 10	00 RESIDUALS AND IMPURITIES EVA Yes	ALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

 $\label{eq:othermality} \textsc{OTHER} \ \textsc{MATERIAL} \ \textsc{NOTES}: \ \textsc{Ranges} \ \textsc{are} \ \textsc{used} \ \textsc{to} \ \textsc{protect} \ \textsc{product} \ \textsc{exact} \ \textsc{recipe}.$

INZAND DATA GOONGE.	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2	023-04-03 7:40:44
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
None found			No warning	gs found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	TIFICATION	
None found			No list	ings found on Additional Hazard List
SUBSTANCE NOTES:				
DLYMER	%: 1.0000 - 5.0000			
RODUCT THRESHOLD: 100	00 ppm RESIDUALS AND IMPURITIES E	EVALUATION COM	PLETED: Yes	MATERIAL TYPE: Polymeric Mater
SIDUALS AND IMPURITIE	S NOTES: There are no residuals or imput	rities at or above t	ne declaration th	nreshold.
THER MATERIAL NOTES:	Ranges are used to protect product exact	recipe.		
UNDISCLOSED				ID: Undisclos
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Libr	ary HAZARD SC	REENING DATE	2023-02-15 7:51:37
%: 60.0000 - 80.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer specie
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
			4*	
MUL	German FEA - Substances Haza Waters	rdous to Mu	it.	
MUL			sistence	
MUL	Waters		sistence	
	Waters EC - CEPA DSL	Pel	sistence	
MUL	Waters EC - CEPA DSL EC - CEPA DSL	Pel	sistence It* TIFICATION	ings found on Additional Hazard List
MUL ADDITIONAL LISTINGS None found	Waters EC - CEPA DSL EC - CEPA DSL	Pei Mu NO	sistence It* TIFICATION No list	
MUL ADDITIONAL LISTINGS None found	Waters EC - CEPA DSL EC - CEPA DSL LIST NAME AND SOURCE	Pei Mu NO	sistence It* TIFICATION No list	
MUL ADDITIONAL LISTINGS None found	Waters EC - CEPA DSL EC - CEPA DSL LIST NAME AND SOURCE	Pei Mu NO	sistence It* TIFICATION No list	is undisclosed as it is proprietary.
MUL ADDITIONAL LISTINGS None found SUBSTANCE NOTES: Rai	Waters EC - CEPA DSL EC - CEPA DSL LIST NAME AND SOURCE	Per Mu NO	sistence It* TIFICATION No list this substance	ID: Undisclos

lone found				No warnings	s found on HPE	Priority Hazard Lis
				· · · ·		-
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOT	IFICATION		
None found				No listir	igs found on A	dditional Hazard Lis
SUBSTANCE NOTES: Range	es are used to protect product exact recipe	. Furthern	nore, t	his substance is	undisclosed a	s it is proprietary.
NDISCLOSED						ID: Undisclos
AZARD DATA SOURCE: To	xnot Chemical Hazard Screening Library	HAZAR	D SCR	EENING DATE:	2023-02-15 7:	51:41
: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: No	ne	NANO: No	SUBSTANCE	E ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WAF	NINGS		
MUL	German FEA - Substances Hazardou Waters	ıs to	Mult	*		
	EC - CEPA DSL		Pers	istence		
MUL	EC - CEPA DSL		Mult	*		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOT	IFICATION		
None found				No listir	ngs found on A	dditional Hazard Lis
SUBSTANCE NOTES: Range	s are used to protect product exact recipe	. Furthern	nore, t	his substance is	undisclosed a	s it is proprietary.
..	· · · · · · · · · · · · · · · · · · ·		, -			· · · · · · · · · · · · · · · · · · ·

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARI) SCF	REENING DATE:	2023-02-15 7:51:40	
%: 2.5000 - 10.0000	GreenScreen: LT-P1	RC: Nor	e	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WAF	RNINGS		
MUL	German FEA - Substances Hazardou Waters	is to	Mult	*		
MUL	EC - CEPA DSL	EC - CEPA DSL		Mult*		
MUL	Quebec CSST - WHMIS 1988		Mult	*		
AQU	Japan - GHS		Acute Aquatic Toxicity			
MAM	Japan - GHS		Systemic Toxicity/Organ Effects (Single Exposure)			
AQU	Japan - GHS		Chro	onic Aquatic Tox	icity	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOT	IFICATION		
None found				No listir	igs found on Additional Hazard Li	

RETARDER

%: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Acid

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

UNDISCLOSED				ID: Undisclos
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREI	ENING DATE:	2023-02-15 7:52:04
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: None NAI	NO: No SUB	STANCE ROLE: Processing regulat
HAZARD TYPE	LIST NAME AND SOURCE	WARN	IINGS	
MUL	German FEA - Substances Hazardoo Waters	to Mult*		
MUL	Quebec CSST - WHMIS 1988	Mult*		
AQU	New Zealand - GHS	Chron	ic Aquatic To	xicity
DEV	МАК	Develo	opmental Toxi	icity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIF	ICATION	
None found			No listi	ings found on Additional Hazard List

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

ACCELERATOR	%: 0.0000 - 0.5000						
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material					
RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.							
OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.							

UNDISCLOSED		ID: Undisclose
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-02-15 7:52:07
%: 100.0000 - 100.0000	GreenScreen: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regulato
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardou Waters	is to Mult*
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

4	ADDITIVE	%: 0.1000 - 0.5000						
I	PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVAL	MATERIAL TYPE: Polymeric Material					
1	RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.							
(OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.							
	UNDISCLOSED				ID: Undisclosed			
	HAZARD DATA SOURCE: Toxnot	Chemical Hazard Screening Library	HAZARD	D SCREENING DATE:	2023-02-15 7:52:09			
	%: 95.0000 - 100.0000	GreenScreen: LT-UNK	RC: Nor	ne NANO: No	SUBSTANCE ROLE: Humectant			
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS				
	MUL	EC - CEPA DSL	Mult*					
	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION				
	None found			No listings found on Additional Hazard Lists				

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All. CERTIFICATE URL: ISSUE DATE: 2023-03-13 EXPIRY DATE: CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PRO GROUT™ EASE

MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.

HPD URL: no hpd available

ACCESSORY TYPE: Cleaning Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO GROUT[™] EASE is a fast-drying, water-soluble protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application.

Section 5: General Notes

PRO GROUT[™] MAX 2.0 does not contain any VOCs. The product comes in powder form. It is mixed to water on site prior to usage.

MANUFACTURER INFORMATION

MANUFACTURER: **PROMA Adhesives Inc.** ADDRESS: **9801**, **Parkway Anjou Quebec H1J 1P3**, **Canada** WEBSITE: www.proma.ca / www.proma.us CONTACT NAME: Caroline Sow TITLE: R&D LAB DIRECTOR PHONE: 514.852.8585 EMAIL: caroline.sow@proma.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.