

HPD UNIQUE IDENTIFIER: 32195

CLASSIFICATION: 09 24 00 Cement Plastering

PRODUCT DESCRIPTION: PRO PATCH™ NM (Non-Modified), mixed with PRO PA-21™ additive, is a fast-curing, two (2) component system, calcium aluminate cement-based compound for patching and leveling. This product can be applied from featheredge up to 1" (25 mm) in thickness, in a single application. AVAILABLE ONLY IN THE USA.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Completed in 6 of 6 Materials	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other		<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**FILLER [ SAND ] BINDER A [ CEMENT, ALUMINA, CHEMICALS LT-UNK ] BINDER C [ PLASTER OF PARIS NoGS QUARTZ BM-1 ] CAN | MAM | GEN ] BINDER B [ PORTLAND CEMENT LT-P1 ] CAN | END | MAM ] RETARDER [ UNDISCLOSED LT-UNK ] MUL | EYE | MAM | DEV | SKI ] ADDITIVE [ UNDISCLOSED LT-UNK ] MUL | MAM ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified because some are proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-04-06

PUBLISHED DATE: 2023-04-06

EXPIRY DATE: 2026-04-06

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### FILLER %: 60.0000 - 80.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

### SAND ID: Geological Material

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 100.0000 - 100.0000 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: Natural sand, natural impurities may occur.

COUNTRY OF ORIGIN: Canada

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES:

### BINDER A %: 10.0000 - 30.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

**CEMENT, ALUMINA, CHEMICALS**

ID: 65997-16-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-04-06 11:39:57**%: **100.0000 - 100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**BINDER C**%: **1.0000 - 10.0000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES EVALUATION COMPLETED: **Yes** MATERIAL TYPE: **Geologically Derived Material**

RESIDUALS AND IMPURITIES NOTES: There are no residuals at or above the declaration threshold. Natural impurities may occur.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

**PLASTER OF PARIS**

ID: 26499-65-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-04-06 11:39:58**%: **95.0000 - 100.0000** GreenScreen: **NoGS** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to account for purity variation. The product contains pre recycled content (94%-99%)

**QUARTZ**

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-04-06 11:39:58**%: **Impurity/Residual** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**BINDER B**

%: 1.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-04-06 11:39:59**

%: **100.0000 - 100.0000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer has indicated that pre and post recycled content is present in the cement clinker (less 1%).

**RETARDER**

%: **0.0000 - 0.5000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other Biological Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: A generic material name is used for proprietary reasons.

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2023-02-01 9:11:26**

%: **99.5000 - 100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
EYE	New Zealand - GHS	Eye Irritation/Corrosivity
MUL	Quebec CSST - WHMIS 1988	Mult*
EYE	Australia - GHS	Eye Irritation/Corrosivity
MAM	Australia - GHS	Systemic Toxicity/Organ Effects (Single Exposure)
DEV	MAK	Developmental Toxicity
SKI	Australia - GHS	Skin Irritation/Corrosivity
MAM	New Zealand - GHS	Systemic Toxicity/Organ Effects (Single Exposure)

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

**ADDITIVE**

%: **0.0000 - 0.5000**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES EVALUATION COMPLETED: **Yes** MATERIAL TYPE: **Geologically Derived Material**

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: A generic material name is used for proprietary reasons.

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2023-02-01 9:11:29**

#: **98.0000 - 98.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

MUL	German FEA - Substances Hazardous to Waters	Mult*
-----	---	-------

MAM	New Zealand - GHS	Acute Mammalian Toxicity
-----	-------------------	--------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-02-08	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

**PRO PA-21™**  
MANUFACTURER (OR GENERIC): **PROMA Adhesives Inc.**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122\\_PRO\\_PA\\_21\\_.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122_PRO_PA_21_.pdf)  
ACCESSORY TYPE: Other  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO PATCH™ NM comes in powder form and is mixed with PRO PA-21™ additive prior to application. Mixing ratio is 3 1/3 parts powder to 1 part PRO PA-21™ (by volume). PRO PA-21™ is also used as primer on existing scraped, roughened and cleaned concrete slabs with old cutback adhesive or carpet adhesive residues.

**PRO SUPERPRIME™**  
MANUFACTURER (OR GENERIC): **PROMA Adhesives Inc.**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122\\_PRO\\_SUPERPRIME\\_.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122_PRO_SUPERPRIME_.pdf)  
ACCESSORY TYPE: Other  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO SUPERPRIME™ is used to prepare smooth concrete substrate surfaces, existing ceramic tile, VCT and non-cushioned vinyl sheet goods before the application of the PRO PATCH™ NM. It is also used as primer on existing scraped, roughened and cleaned concrete slabs with old cutback adhesive or carpet adhesive residues.

**PRO SUPERPRIME 1C™**  
MANUFACTURER (OR GENERIC): **PROMA Adhesives Inc.**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122\\_PRO\\_SUPERPRIME\\_1C.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122_PRO_SUPERPRIME_1C.pdf)  
ACCESSORY TYPE: Other  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO SUPERPRIME 1C™ is used to prepare smooth concrete substrate surfaces, existing ceramic tile, VCT and non-cushioned vinyl sheet goods before the application of the PRO PATCH™ NM. It is also used as primer on existing scraped, roughened and cleaned concrete slabs with old cutback adhesive or carpet adhesive residues.

## Section 5: General Notes

PRO PATCH™ NM does not contain any VOCs. The product comes in powder form. It is mixed to PRO PA-21™ on site prior to usage.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** PROMA Adhesives Inc.  
**ADDRESS:** 9801, Parkway  
 Anjou Quebec H1J 1P3, Canada  
**WEBSITE:** www.proma.us

**CONTACT NAME:** Caroline Sow  
**TITLE:** R&D LAB DIRECTOR  
**PHONE:** 514.852.8585  
**EMAIL:** caroline.sow@proma.ca

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*