PRO P-151™ RAPID - GREY by PROMA Adhesives Inc.

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 32534

CLASSIFICATION: 09 32 00 Mortar-Bed Tiling

PRODUCT DESCRIPTION: PRO P-151™ RAPID is a premium-grade, fast-setting, high-performance, universal single-component, polymermodified, thin-set mortar suitable for institutional, commercial, and residential installations of non-vitreous, semi-vitreous, vitreous, and impervious tiles, including porcelain and most natural stone. Open for light foot traffic after 4-6 hours and grouting within 2-3 hours. PRO P-151 RAPID is designed to obtain high-bond strengths to conventional and non-conventional substrates such as existing VAT, VCT, existing ceramic tile, properly prepared terrazzo floors and black asphalt emulsion residue.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

 Nested Materials Method C Basic Method

Threshold Disclosed Per

Material Product

Threshold Level C 100 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 7 of 7 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods

Identified

Yes No

Yes ○ No.

Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

FILLER [SAND] BINDER A [CEMENT, ALUMINA, CHEMICALS LT-UNK | BINDER C | PLASTER OF PARIS NoGS QUARTZ BM-1 | CAN | MAM | GEN | POLYMER [UNDISCLOSED LT-UNK | MUL | UNDISCLOSED LT-UNK | MUL UNDISCLOSED LT-UNK | CAN | | MUL UNDISCLOSED LT-UNK | MUL | UNDISCLOSED BM-4 | BINDER B [PORTLAND CEMENT LT-P1 | CAN | END | MAM] RETARDER [UNDISCLOSED LT-UNK | MUL] RHEOLOGY MODIFIER [**CELLULOSE, 2-HYDROXYETHYL METHYL ETHER BM-2**]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified becasue some are prorpietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-04-26 PUBLISHED DATE: 2023-04-26 EXPIRY DATE: 2026-04-26

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FILLER %: 50.0000 - 70.0000

PRODUCT THRESHOLD: 1000 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived

yes

Material

ppm Yes Materia

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

SAND ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 100.0000 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: Natural sand

COUNTRY OF ORIGIN: Canada

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES:

BINDER A %: 10.0000 - 30.0000

PRODUCT THRESHOLD: 1000 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

CEMENT, ALUMINA, CHEMICALS ID: 65997-16-2						
HAZARD DATA SOURCE	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE:	2023-04-26 5:49:32		
%: 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
None found			No warr	nings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No	listings found on Additional Hazard Lists		
SUBSTANCE NOTES:						

	BINDER C	%: 5.0000 - 15.0000			
	PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material		
RESIDUALS AND IMPURITIES NOTES: There are no residuals at or above the declaration threshold. Natural impurities may occur.					

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

PLASTER OF PARIS				ID: 26499-65-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-04-26 5:49:33
%: 95.0000 - 100.0000	GreenScreen: NoGS	RC: PreC	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES: Ra	anges are used to protect product exact re	cipe.		

QUARTZ					ID: 14808-60-7
HAZARD DATA SOURCE: Pha	aros Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-04-26 5:49:34	
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Imp	urity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

POLYMER %: 1.0000 - 10.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-02-21 11:46:52

%: 70.0000 - 100.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
	EC - CEPA DSL	Persistence
MUL	EC - CEPA DSL	Mult*
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD S	CREENING DATE:	2023-02-21 11:46:54
%: 0.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	LIST NAME AND SOURCE	V	/ARNINGS	
MUL	Quebec CSST - WHMIS 1988	N	lult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	N	OTIFICATION	
None found			No listi	ngs found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-02-21 11:46:56 %: 0.0000 - 15.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier **HAZARD TYPE** LIST NAME AND SOURCE **WARNINGS** CAN MAK Carcinogenicity EC - CEPA DSL Persistence Quebec CSST - WHMIS 1988 MUL Mult* ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** No listings found on Additional Hazard Lists None found SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-02-21 11:46:55

%: 0.0000 - 10.0000	GreenScreen: LT-UNK	RC: No	ne	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WAR	NINGS	
MUL	German FEA - Substances Hazardo Waters	us to	Mult*	k	
	EC - CEPA DSL		Persi	istence	
MUL	EC - CEPA DSL		Mult'	k	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTI	IFICATION	
None found				No listin	gs found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

			ID: Undi	sclose
Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-26 5:49:33	
GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent	
LIST NAME AND SOURCE		WARNINGS		
		No warr	nings found on HPD Priority Hazar	d Lists
LIST NAME AND SOURCE		NOTIFICATION		
·	nmission	EU - REACH Exe	emptions	
(20 20)		Exempted from safety	REACH Annex IV listing due to into	rinsic
	GreenScreen: BM-4 LIST NAME AND SOURCE LIST NAME AND SOURCE	GreenScreen: BM-4 RC: None LIST NAME AND SOURCE LIST NAME AND SOURCE European Union / European Commission	GreenScreen: BM-4 RC: None NANO: No LIST NAME AND SOURCE WARNINGS No warr LIST NAME AND SOURCE NOTIFICATION European Union / European Commission (EU EC) Exempted from	GreenScreen: BM-4 LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazar LIST NAME AND SOURCE NOTIFICATION European Union / European Commission (EU EC) Exempted from REACH Annex IV listing due to interpretations

BINDER B	%: 1.0000 - 5.0000	
PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ppm	Yes	Material

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

PORTLAND CEMENT ID: 65997-15-1

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 20	023-04-26 5:49:34
%: 100.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effect or classification
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrine	e Disruptor
MAM	GHS - Japan			nage to organs through prolonged or [Specific target organs/systemic epeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No list	ings found on Additional Hazard List

RETARDER %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic Salt

 ${\sf RESIDUALS} \ {\sf AND} \ {\sf IMPURITIES} \ {\sf NOTES} \hbox{: There are no residuals or impurities at or above the declaration threshold}.$

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD	SCREENING [DATE: 2023-02-21 11:47:02
%: 99.0000 - 100.0000	GreenScreen: LT-UNK	RC: Non	e NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardou Waters	us to	Mult*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found			N	No listings found on Additional Hazard Lists

 ${\tt SUBSTANCE\ NOTES:}\ Ranges\ are\ used\ to\ protect\ product\ exact\ recipe.\ Furthermore,\ this\ substance\ is\ undisclosed\ as\ it\ is\ proprietary.$

RHEOLOGY MODIFIER %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

CELLULOSE, 2-HYDROXYETHYL METHYL ETHER

ID: 9032-42-2

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-26 5:49:34
%: 92.0000 - 100.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wari	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All.

EXPIRY DATE:

ISSUE DATE: 2023-03-13

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PRO SUPERPRIME™

MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122_PRO_SUPERPRIME_.pdf

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SUPERPRIME™ can be used to ready nearly any surface for PROMA setting materials without the need for scarifying or shotblasting.

PRO SUPERPRIME™ 1C

MANUFACTURER (OR GENERIC): PROMA Adhesives Inc.

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/1122_PRO_SUPERPRIME_1C.pdf

ACCESSORY TYPE: Other

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PRO SUPERPRIME™ 1C can be used to ready nearly any surface for PROMA setting materials without the need for scarifying or shotblasting.



Section 5: General Notes

PRO P-151™ RAPID does not contain any VOCs. The product comes in powder form. It is mixed to water on site prior to usage.

MANUFACTURER INFORMATION

MANUFACTURER: PROMA Adhesives Inc.

ADDRESS: 9801, Parkway Anjou Quebec H1J 1P3, Canada

WEBSITE: www.proma.ca / www.proma.us

CONTACT NAME: Caroline Sow TITLE: R&D LAB DIRECTOR PHONE: 514.852.8585

EMAIL: caroline.sow@proma.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.