created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 32000

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: PRO SUPERPRIME™ is a universal, premium-quality, highly concentrated, solvent-free acrylic primer used for priming most substrates including well-prepared plywood and wood subfloors, concrete surfaces, resin-based floor coatings, homogeneous PVC, wellbonded VCT/VAT, cutback and adhesive residue, gypsum, cement or epoxy terrazzo, steel, copper, lead, stainless steel, quarry and ceramic tile, porcelain, granite, and marble. PRO SUPERPRIME™ can ready nearly any surface for PROMA leveling underlayments, toppings and setting materials without the need for scarifying or shotblasting, saving valuable time and money!

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm ⊙ 1,000 ppm

O Per GHS SDS

O Other

Residuals/Impurities Evaluation

Completed in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has: Characterized Yes ○ No.

Provided weight and role.

 Yes ○ No Screened

Provided screening results using HPDC-approved

methods. Identified

O Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

POLYMER A [UNDISCLOSED BM-4 UNDISCLOSED LT-UNK | CAN | | MUL UNDISCLOSED LT-UNK | MUL | EYE | SKI | AQU | MAM UNDISCLOSED LT-P1 | SKI | MUL | | EYE | MAM | AQU | NEU | PHY] POLYMER B [UNDISCLOSED LT-UNK | MUL | UNDISCLOSED BM-4 UNDISCLOSED LT-UNK | EYE | SKI | MUL | MAM | AQU | DEV | PHY UNDISCLOSED LT-UNK | MUL | | DEV] ADDITIVE A [UNDISCLOSED BM-4 UNDISCLOSED LT-P1 | AQU | EYE | MAM | SKI | MUL] RHEOLOGY MODIFIER [UNDISCLOSED BM-4 UNDISCLOSED LT-UNK |] PIGMENT [UNDISCLOSED LT-1 | CAN | | MUL UNDISCLOSED LT-P1 | END | MUL | MAM] ADDITIVE B [UNDISCLOSED LT-1 | CAN |

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. Substances present in the product, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities are available in the appropriate sections. Substances are not all identified becasue some are prorpietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 1.0 Regulatory (g/l): 0.2

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base

paint when tinted: N/A

MUL | | MAM | DEV | REP | SKI]

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario

VOC content: SCAQMD Rule 1168 Adhesive and Sealant Applications -Adhesives for Wood Flooring, Rubber Floor, Ceramic Tile, Multipurpose Construction, Structural Glazing and Contact, as amended 1/7/05

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

VERIFIER:

PREPARER: Vertima

SCREENING DATE: 2023-04-03 PUBLISHED DATE: 2023-04-03

Yes

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

POLYMER A %: 40.0000 - 60.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

	(/		Exempted from safety	REACH Annex IV listing due to intrin	nsic
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exc	emptions	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No war	nings found on HPD Priority Hazard	Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
%: 50.0000 - 60.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Carrier	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-03 7:29:02	
UNDISCLOSED				ID: Undisc	closed

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

011210020022				
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SC	REENING DA	TE: 2023-01-31 14:45:16
%: 40.0000 - 50.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WA	ARNINGS	
CAN	IARC	Ca	rcinogenicity	
	EC - CEPA DSL	Pe	rsistence	
MUL	EC - CEPA DSL	Mu	ılt*	

None found No listings found on Additional Hazard Lists

NOTIFICATION

LIST NAME AND SOURCE

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED

ADDITIONAL LISTINGS

ID: Undisclosed

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARI	SCRE	ENING DATE:	2023-01-31 14:45:17
%: 3.0000 - 5.0000	GreenScreen: LT-UNK	RC: Nor	ie	NANO: No	SUBSTANCE ROLE: Emulsifier
HAZARD TYPE	LIST NAME AND SOURCE		WARI	NINGS	
MUL	German FEA - Substances Hazardon Waters	us to	Mult*		
EYE	New Zealand - GHS		Eye Ir	ritation/Corros	ivity
MUL	EC - CEPA DSL		Mult*		
SKI	New Zealand - GHS		Skin I	rritation/Corros	sivity
AQU	New Zealand - GHS		Acute	Aquatic Toxic	ity
EYE	Australia - GHS		Eye Ir	ritation/Corros	ivity
MAM	Australia - GHS		Acute	e Mammalian T	oxicity
SKI	Australia - GHS		Skin I	rritation/Corros	sivity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTII	FICATION	
None found				No listii	ngs found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Toxno	ot Chemical Hazard Screening Library	HAZARD SCRE	ENING DATE:	2023-01-31 14:45:18
%: 0.1000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements)	Skin Irritation/Corrosivity
MUL	German FEA - Substances Hazardous to Waters	Mult*
	EC - CEPA DSL	Persistence
EYE	New Zealand - GHS	Eye Irritation/Corrosivity
MAM	Korea - GHS	Acute Mammalian Toxicity
MUL	EC - CEPA DSL	Mult*
MUL	Japan - GHS	Mult*
MUL	Quebec CSST - WHMIS 1988	Mult*
SKI	Korea - GHS	Skin Irritation/Corrosivity
SKI	New Zealand - GHS	Skin Irritation/Corrosivity
AQU	Japan - GHS	Acute Aquatic Toxicity
EYE	Japan - GHS	Eye Irritation/Corrosivity
MAM	Australia - GHS	Systemic Toxicity/Organ Effects (Single Exposure)
SKI	Japan - GHS	Skin Irritation/Corrosivity
NEU	Boyes - Neurotoxicants	Neurotoxicity (Single Exposure)
SKI	Australia - GHS	Skin Irritation/Corrosivity
MAM	New Zealand - GHS	Acute Mammalian Toxicity
SKI	Malaysia - GHS	Skin Irritation/Corrosivity
EYE	Malaysia - GHS	Eye Irritation/Corrosivity
PHY	Korea - GHS	Reactivity
PHY	New Zealand - GHS	Reactivity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

POLYMER B %: 40.0000 - 60.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-01-31 14:45:22

%: 30.0000 - 60.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Mult*
	EC - CEPA DSL	Persistence
MUL	EC - CEPA DSL	Mult*
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE:	2023-04-03 7:29:03
%: 30.0000 - 60.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Cor	mmission	EU - REACH Ex	emptions
	(EU EC)		Exempted from safety	REACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-01-31 14:45:23

%: 0.5000 - 1.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Dispersant

UNDISCLOSED

UNDISCLOSED

ID: Undisclosed

ID: Undisclosed

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements)	Eye Irritation/Corrosivity
SKI	EU - GHS (H-Statements)	Skin Irritation/Corrosivity
MUL	German FEA - Substances Hazardous to Waters	Mult*
EYE	New Zealand - GHS	Eye Irritation/Corrosivity
МАМ	New Zealand - GHS	Systemic Toxicity/Organ Effects (Repeated Exposure)
MUL	Quebec CSST - WHMIS 1988	Mult*
SKI	New Zealand - GHS	Skin Irritation/Corrosivity
MUL	Australia - GHS	Mult*
AQU	Australia - GHS	Chronic Aquatic Toxicity
EYE	Australia - GHS	Eye Irritation/Corrosivity
EYE	Japan - GHS	Eye Irritation/Corrosivity
MUL	EU - GHS (H-Statements)	Mult*
SKI	Japan - GHS	Skin Irritation/Corrosivity
AQU	New Zealand - GHS	Chronic Aquatic Toxicity
DEV	MAK	Developmental Toxicity
SKI	Australia - GHS	Skin Irritation/Corrosivity
РНҮ	New Zealand - GHS	Flammability
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD	SCREENING DA	ATE: 2023-01-31 14:45:24
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: Non	e NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardon Waters	us to	Mult*	
	EC - CEPA DSL		Persistence	
MUL	EC - CEPA DSL		Mult*	
DEV	MAK		Developmental	Toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

ADDITIVE A %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

	,		Exempted from safety	n REACH Annex IV listing due to intri	nsic
EXEMPT	European Union / European Col EC)	mmission (EU	EU - REACH E	xemptions	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ı	
None found			No w	rarnings found on HPD Priority Hazar	rd Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
%: 80.0000 - 100.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCR	REENING DATE:	2023-04-03 7:29:04	
UNDISCLOSED				ID: Undi	isclosed

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2023-01-31 14:45:28

%: 5.0000 - 20.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	EU - GHS (H-Statements)	Acute Aquatic Toxicity
EYE	EU - GHS (H-Statements)	Eye Irritation/Corrosivity
MAM	EU - GHS (H-Statements)	Acute Mammalian Toxicity
SKI	EU - GHS (H-Statements)	Skin Sensitization
SKI	EU - GHS (H-Statements)	Skin Irritation/Corrosivity
SKI	MAK	Skin Sensitization
MUL	German FEA - Substances Hazardous to Waters	Mult*
EYE	New Zealand - GHS	Eye Irritation/Corrosivity
MAM	Japan - GHS	Acute Mammalian Toxicity
MUL	EC - CEPA DSL	Mult*
MUL	Japan - GHS	Mult*
MUL	Quebec CSST - WHMIS 1988	Mult*
SKI	New Zealand - GHS	Skin Irritation/Corrosivity
AQU	New Zealand - GHS	Acute Aquatic Toxicity
AQU	Australia - GHS	Acute Aquatic Toxicity
AQU	Japan - GHS	Acute Aquatic Toxicity
EYE	Australia - GHS	Eye Irritation/Corrosivity
EYE	Japan - GHS	Eye Irritation/Corrosivity
MAM	Australia - GHS	Acute Mammalian Toxicity
SKI	Japan - GHS	Skin Irritation/Corrosivity
SKI	Japan - GHS	Skin Sensitization
AQU	New Zealand - GHS	Chronic Aquatic Toxicity
SKI	Australia - GHS	Skin Irritation/Corrosivity
MAM	New Zealand - GHS	Acute Mammalian Toxicity
SKI	New Zealand - GHS	Skin Sensitization
SKI	Australia - GHS	Skin Sensitization
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

RHEOLOGY MODIFIER %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-04-03 7:29:03
%: 60.0000 - 80.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Ex	emptions
	,		Exempted from safety	REACH Annex IV listing due to intrinsic

UNDISCLOSED		ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-01-31 14:45:31
%: 13.0000 - 30.0000	GreenScreen: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
	EC - CEPA DSL	Persistence
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

PIGMENT %: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons.

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-01-31 14:45:33		
%: 25.0000 - 50.0000	GreenScreen: LT-1	RC: None	e NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	CA EPA - Prop 65	CA EPA - Prop 65 Carcinogenicity		
	EC - CEPA DSL		Persistence	
MUL	EC - CEPA DSL		Mult*	
	EC - CEPA DSL		Bioaccumulation	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listi	ngs found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD	SCREENING DATE:	2023-01-31 14:45:35
%: 15.0000 - 40.0000	GreenScreen: LT-P1	RC: Non	e NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disrupto	or	Endocrine Activity	
MUL	German FEA - Substances Hazardon Waters	us to	Mult*	
MUL	EC - CEPA DSL		Mult*	
МАМ	Japan - GHS		Systemic Toxicity/0	Organ Effects (Repeated Exposure)
MAM	Japan - GHS		Systemic Toxicity/Organ Effects (Single Exposure)	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No list	ings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

ADDITIVE B %: 0.0000 - 0.1000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Ranges are used to protect product exact recipe. A generic material name is used for proprietary reasons. All substances in this material are below the reportable threshold.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Toxnot Chemical Hazard Screening Library	HAZARD SCREENING DATE: 2023-01-31 14:45:37
%: 60.0000 - 100.0000	GreenScreen: LT-1	RC: None NANO: No SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	Australia - GHS	Carcinogenicity
CAN	EU - Annex VI CMRs	Carcinogenicity
CAN	EU - GHS (H-Statements)	Carcinogenicity
CAN	EU - REACH Annex XVII CMRs	Carcinogenicity
MUL	ChemSec - SIN List	Mult*
MUL	German FEA - Substances Hazardor Waters	us to Mult*
	EC - CEPA DSL	Persistence
MUL	EC - CEPA DSL	Mult*
MAM	Australia - GHS	Acute Mammalian Toxicity
DEV	Australia - GHS	Developmental Toxicity
REP	Australia - GHS	Reproductive Toxicity
SKI	Australia - GHS	Skin Irritation/Corrosivity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Ranges are used to protect product exact recipe. Furthermore, this substance is undisclosed as it is proprietary.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFIER OR LAB: Intertek **CERTIFYING PARTY: Third Party** ISSUE DATE: 2022-07-06 APPLICABLE FACILITIES: All. EXPIRY DATE: 2023-07-05 Testing Services NA, Inc.

CERTIFICATE URL:

https://sustainabilitydirectory.intertek.com/images/certificates/006f9c33-

a042-477d-8ad6-3a10d91267f2/CA-88912-2022a.pdf

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: CA-88912-2022a. Total VOCs after 14 days (336 hours): 0.5 mg/m3 or less

VOC CONTENT SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Wood Flooring, Rubber Floor, Ceramic Tile, Multipurpose Construction, Structural Glazing and Contact, as amended 1/7/05

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All. **CERTIFICATE URL:**

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-04-03 **EXPIRY DATE:**

CERTIFIER OR LAB: n/a

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: PROMA Adhesives Inc.

ADDRESS: 9801, Parkway
Anjou Quebec H1J 1P3, Canada

WEBSITE: www.proma.ca / www.proma.us

CONTACT NAME: Caroline Sow TITLE: R&D LAB DIRECTOR PHONE: 514.852.8585

EMAIL: caroline.sow@proma.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created
 after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.