Safety data sheet for safe handling of the product

Date of Issue: July 2013



Product name: PRO CEMIX

PRODUCT IDENTIFICATION

PHYSICAL PROPERTIES

Product information: Premixed, cementitious mortar for concrete repairs

Manufacturer: PROMA Adhesives Inc. 8500 Ernest-Cormier, Anjou

Telephone: 514-852-8585 (24 HOURS) 613-996-6666

EMERGENCY - CANUTEC Quebec, Canada H1J 1B4

Physical state Gray powder Odor Odorless PH (in water) N/A Melting point N/A **Boiling point** N/A Vapor pressure (mm Hg) N/A Density (water =1) 2,2 Vapor density (air = 1) N/A Evaporation rate N/A

Water solubility Very slightly soluble

COMPOSITION 2.

Cas no.	Portland Cement Fondu Cement Crystalline silica in quartz form	% 1-15 1-15 0-3	TIME WEIGHT AVERAGE EXPOSURE VALUE (TWAEV)	
65997-15-1 65997-16-2 14808-60-7			Breathing Dust 5 mg/m ³ 5 mg/m ³ 0,1mg/m ³	Total dust 10 mg/m ³ 10 mg/m ³ -

4. FIRE AND EXPLOSION DATA

5. **REACTIVITY DATA**

Stable

Flammability: Nonflammable Stability:

Flash point: None **Hazardous polymerization:** None

Extinguishing media: Use fire extinguishing Incompatibility with other substances: Yes material appropriate for

surrounding fires. If yes, which ones?

Strong organic acids and strong oxidants

Special procedures None. A self-contained

to fight against fire: breathing apparatus should Hazardous products of decomposition: None be used by the fire-fighters.

Risk of explosion: None

Sensitivity to static

discharge: None

Combustion products: Unknown

PRO CEMIX

6. **TOXICOLOGICAL PROPERTIES**

Route of entry: Inhalation, ingestion,

eye and skin contact

Effects of acute exposure:

Inhalation: May cause nose, throat and

respiratory system irritation.

Ingestion: May result in intestinal problems

such as constipation.

Skin contact: May cause drying, redness and

mild irritation.

Eye contact: May cause irritation, burns and

eye surface damage.

Effects of chronic Prolonged and excessive inhalation exposure:

of dust may cause lung damage and

silicosis.

I.A.R.C. has concluded there is sufficient evidence that inhaled crystalline silica in quartz form from occupational sources is a carcinogen for humans.

7. **PREVENTIVE MEASURES**

Ventilation: Use in well-ventilated area.

Skin protection: Wear protective gloves,

> shoes and clothing to avoid skin contact.

Respiratory Use a dust mask when

protection: mixing.

Eye protection: Wear safety glasses.

Leak/spill: Wear necessary protective

equipment.

Place in closed containers

for disposal.

Waste disposal: Dispose in accordance with

local regulations.

Store in a cool ($\sim 20^{\circ}$ C), Storage:

dry place.

FIRST AID MEASURES 8.

In case of ingestion: Do not induce vomiting.

Give large quantity of water.

Consult a physician.

In case of inhalation: Move the victim to fresh air.

Consult a physician if necessary.

In case of skin contact: Wash skin with soap and water.

Remove contaminated clothing.

Consult a physician if irritation persists.

Flush eyes with plenty of water, lifting In case of eye contact:

upper and lower eyelids.

Consult a physician if irritation persists.