

Product name:  
**PRO QUICK MODIFIED**

### 1. PRODUCT IDENTIFICATION

Product information:  
Fast-setting polymer-modified thin-set mortar

Manufacturer:  
PROMA Adhesives Inc.  
8500 Ernest-Cormier, Anjou  
Quebec, Canada H1J 1B4  
Telephone: 514-852-8585

**EMERGENCY - CANUTEC  
(24 HOURS) 613-996-6666**

### 3. PHYSICAL PROPERTIES

Physical state	Gray powder
Odor	Odorless
PH (in water)	11-13
Melting point	N/A
Boiling point	N/A
Vapor pressure (mm Hg)	N/A
Density (water =1)	1.4
with latex	1,7
Vapor density (air = 1)	N/A
Evaporation rate	N/A
Water solubility	Very slightly soluble

### 2. COMPOSITION

Cas no.	Ingredients	%	TIME WEIGHT AVERAGE EXPOSURE VALUE (TWAEV)	
---------	-------------	---	---	--

			<u>Breathing dust</u>	<u>Total dust</u>
65997-15-1	Portland Cement	1-10	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
65997-16-2	Fondu Cement	20-45	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
14808-60-7	Crystalline silica in quartz form	5-25	0.1 mg/m <sup>3</sup>	-

### 4. FIRE AND EXPLOSION DATA

**Flammability:** Nonflammable

**Flash point:** None

**Extinguishing media:** Use fire extinguishing material appropriate for surrounding fires.

**Special procedures to fight against fire:** None. A self-contained breathing apparatus should be used by the fire-fighters.

**Risk of explosion:** None

**Sensitivity to static discharge:** None

**Combustion products:** Unknown

### 5. REACTIVITY DATA

**Stability:** Stable

**Hazardous polymerization:** None

**Incompatibility with other substances:** Yes

**If yes, which ones?**  
Strong organic acids and strong oxidants

**Hazardous products of decomposition:** None

## 6. TOXICOLOGICAL PROPERTIES

<b><u>Route of entry:</u></b>	Inhalation, ingestion, eye and skin contact
<b><u>Effects of acute exposure:</u></b>	
<b>Inhalation:</b>	May cause nose, throat and respiratory system irritation.
<b>Ingestion:</b>	May result in intestinal problems such as constipation.
<b>Skin contact:</b>	May cause drying, redness and mild irritation.
<b>Eye contact:</b>	May cause irritation, burns and eye surface damage.
<b><u>Effects of chronic exposure:</u></b>	<p>Prolonged and excessive inhalation of dust may cause lung damage and silicosis.</p> <p>I.A.R.C. has concluded there is sufficient evidence that inhaled crystalline silica in quartz form from occupational sources is a carcinogen for humans.</p>

## 7. PREVENTIVE MEASURES

<b>Ventilation:</b>	Use in well-ventilated area.
<b>Skin protection:</b>	Wear protective gloves, shoes and clothing to avoid skin contact.
<b>Respiratory protection:</b>	Use a dust mask when mixing.
<b>Eye protection:</b>	Wear safety glasses.
<b>Leak/spill:</b>	Wear necessary protective equipment. Place in closed containers for disposal.
<b>Waste disposal:</b>	Dispose in accordance with local regulations.
<b>Storage:</b>	Store in a cool (~20°C), dry place.

## 8. FIRST AID MEASURES

<b>In case of ingestion:</b>	<p>Do not induce vomiting.</p> <p>Give large quantity of water.</p> <p>Consult a physician.</p>
<b>In case of inhalation:</b>	<p>Move the victim to fresh air.</p> <p>Consult a physician if necessary.</p>
<b>In case of skin contact:</b>	<p>Wash skin with soap and water.</p> <p>Remove contaminated clothing.</p> <p>Consult a physician if irritation persists.</p>
<b>In case of eye contact:</b>	<p>Flush eyes with plenty of water, lifting upper and lower eyelids.</p> <p>Consult a physician if irritation persists.</p>