



PROMA



PROFESSIONAL
MATERIALS FOR
FLOORING
INSTALLATION

FINISHING
AND CARE



DISCOVER THE DIFFERENCE

At PROMA, we conduct business with a goal in mind: **'Always offer the best products, services, and value.'** It's at the heart of everything we do, from product development to customer service, and everything in between. When you take all of what PROMA has to offer and add to that competitive pricing and unmatched dependability, you receive one of the best values available for flooring installation.

INNOVATIVE SOLUTIONS

Always proactive, always listening, always moving forward. PROMA's research and development team works closely with our customers and with the world's top raw materials suppliers. This synergy allows PROMA to develop new and innovative products that excel beyond current industry standards and enables us to bring tomorrow's technology to today's products.

SUPERIOR QUALITY

PROMA offers one of the broadest array of products available so you can choose the right solution for any given job. Our products have been engineered to provide user-friendly, time-saving jobsite characteristics and exceptional, long-lasting performance through strength, flexibility and durability.

ECOLOGICAL AND RESPONSIBLE

Many of PROMA's products have been formulated to have minimal impact on the environment, are safe to apply, and do not contribute to unfavorable jobsite conditions or adversely affect indoor air quality. Some also help contribute valuable points to LEED® certification, the accepted standard for Green Building in the construction industry.

PERSONAL SERVICE

We understand that just offering great products is not nearly enough. You need a partner that will stand by you, before, during, and after the sale to help you achieve success. A partner with an experienced technical support team that helps every project go smoothly. A partner who will help protect your good reputation by offering the quality, personal service and support you and your customers need. PROMA is that partner.







Products with this logo contain a high percentage of recycled content providing a more ecological and sustainable solution to traditional products.



Products with this logo are designed for a safer jobsite environment by being free of solvents, nonflammable, low-odor, and low in TVOCs.



Products with this logo have characteristics that improve indoor air quality compared to Portland cement-based products.



This logo is specific for cleaners and sealers that are designed with a multitude of environmentally-friendly characteristics relating to application and use.



Products with this logo are scratch-free and free of the environmental and health risks of crystalline silica.

ECOLOGICAL, RESPONSIBLE

PROMA is committed to ecological/responsible operations and products that are considerate of natural resources, respectful of the environment, and contribute to a more sustainable future in the flooring industry, our community, and the world.

ECO-FRIENDLY INGREDIENTS

PROMA formulates products using advanced ingredients that are safe to use with minimal impact on the environment, while maintaining premium performance standards. Certain products even contain recycled materials, which helps reduce pollution and greenhouse gas emissions, and conserve natural resources.

SUSTAINABLE PACKAGING

PROMA is transitioning all powdered products to 100%-recyclable plastic packaging. Our pioneering plastic technology uses less material than traditional packaging, vacuum-seals products to the smallest size possible for greener transport, and eliminates waste from seepage. The 100% recyclability of the plastic also lessens the need for new raw materials and reduces waste in landfills and the environment.

SAFER CONDITIONS

PROMA products have been carefully designed to be safer for the applicator and building owner. We use nontoxic ingredients whenever possible, without compromising quality, in order to be less harmful, improve indoor air quality and protect the environment.

LEED® CONTRIBUTION

Certain PROMA products and their multiple use characteristics, recycled content and low-VOC emissions can contribute toward attaining credit requirements within the LEED® (Leadership in Environmental and Energy Design) USGBC-NC and Canada-NC Rating Systems. Products have achieved independent validation by the renowned environmental auditor Vertima™ (vertima.ca); letters of credit conformity can be provided upon request.







CLEANING AND MAINTENANCE PROTECTION AND ENHANCEMENT

**Proper cleaning and maintenance is
key to keeping your installation
beautiful for years to come.**

PROMA offers a wide variety of quality cleaners, strippers and removers that dramatically ease the cleaning process, while providing outstanding results and long-lasting performance.

No matter what the installation condition, tile or stone type, or productivity demands, PROMA has the right solution to fit your needs.

Visit proma.ca for more information on
PROMA Finishing and Care products.





PRO CLEAN™

PRO CLEAN™ is a multi-surface neutral cleaner designed for routine cleaning of ceramic, natural stones, quartz, hardwood, laminate and vinyl surfaces.



- No phosphates or ammonia
- Fast evaporation
- Lemon scent
- Leaves no streaks or soap residues
- No rinsing required
- Won't damage varnishes, waxes and acrylic floor finishes
- Meets Cleaning Performance test ASTM D4488-95-A5
- Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- Meets Window cleaning Performance test CSPA DCC-09
- Meets environmental ecological standards for Degreaser Cleaner
- Biodegradable – In conformity with OCDE 301 E rule
- For interior residential, commercial and institutional use

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00082 [BR110-07]
Cleaning Kit:	
700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth	00084 [BR110-10]
Concentrate:	
946 mL (32 oz) bottle	00080 [BR110-01]
4 L (1.05 US gal) bottle	00083 [BR110-04]



PRO HARDWOOD CLEANER™

PRO HARDWOOD CLEANER™ is a neutral cleaner designed for routine cleaning of hardwood and engineered wood floors as well as for laminate floors surfaces.



- No phosphates or ammonia
- Fast evaporation
- Lemon scent
- Leaves no streaks or soap residues
- No rinsing required
- Won't damage varnishes, waxes and acrylic floor finishes
- Meets Cleaning Performance test ASTM D4488-95-A5
- Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- Meets Window cleaning Performance test CSPA DCC-09
- Meets environmental ecological standards for Degreaser Cleaner
- Biodegradable – In conformity with OCDE 301 E rule
- For institutional, commercial and residential applications

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00201 [N200-07]
Cleaning Kit:	
700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth	00205 [N200-10]
Concentrate:	
946 mL (32 oz) bottle	00200 [N200-01]
4 L (1.05 US gal) bottle	00202 [N200-04]



PRO CARPET CLEANER™

PRO CARPET CLEANER™ is a cleaner and stain remover designed for carpets, rugs and upholstery and eliminates domestic odors.



- Cleans domestic and animal stains
- Eliminates odors – domestic and pets
- Low suds formula
- Faint odor
- Use for manual or mechanical cleaning
- Low VOC
- Biodegradable – In conformity with OCDE 301 E rule
- For interior residential, commercial and institutional use

Approximate Coverage: 4.65 m² (50 ft²) per 700 mL (23.6 oz) spray bottle

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00241 [PT855-07]



PRO LVT CLEANER™

PRO LVT CLEANER is a neutral floor cleaner designed for routine cleaning of LVT (Luxury Vinyl Tiles), LVP (Luxury Vinyl Planks), VCT (Vinyl Composition Tiles) and other vinyl surfaces.



- No phosphates or ammonia
- Fast evaporation
- Lemon scent
- Leaves no streaks or soap residues
- No rinsing required
- Won't damage varnishes, waxes and acrylic floor finishes
- Meets Cleaning Performance test ASTM D4488-95-A5
- Meets Yellowness of Polymer-Based Solar Screen/Window Film Performance test ASTM E313-05
- Meets Window cleaning Performance test CSPA DCC-09
- Meets environmental ecological standards for Degreaser Cleaner
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00285
Cleaning Kit:	
700 mL (23.6 oz) bottle with telescopic mop and microfiber cloth	00289
Concentrate:	
946 mL (32 oz) bottle	00286
4 L (1.05 US gal) bottle	00288





PRO NET™ II

PRO NET™ II is a mild acid cleaner designed for grout and ceramic tile maintenance to remove most domestic stains and cement grout haze.



- Use on ceramic, porcelain, granite, slate and quartz (except marbles and calcareous stones)
- Use on cementitious, pre-mixed and epoxy grout
- Use on countertops, floors, walls, showers, shower doors and toilets
- Organic acid based cleaner
- Floral scent
- Non corrosive for skin
- Safe for chrome and stainless-steel surfaces
- No phosphates or ammonia
- Removes calcium residues on car and entrance carpets
- Removes cement grout haze on tiles after grouting
- Removes light rust and calcium rings in toilets, bathtubs, shower doors and knobs
- No VOC
- Meets Cleaning Performance test ASTM D5343-06
- Meets Calcium Carbonate (Hard Water Scale) Solubility Test
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00115 [N305-07]
Concentrate:	
946 mL (32 oz) bottle	00116 [N305-01]
4 L (1.05 US gal) bottle	00117 [N305-04]



PRO SHOWER™

PRO SHOWER™ is designed for routine cleaning of showers. It incorporates a surface treatment to avoid water stains and accumulation of soap and calcareous residues. It eliminates the need to use a squeegee and is ideal for glass, ceramic, granite, quartz and acrylic surfaces. Not to be used on marble and calcareous stones.



- Excellent for routine shower cleaning and hydrophilic treatment
- Acidic formula – pH: 3.5 – 4
- No phosphates or ammonia
- Dries quickly
- Leaves no streaks
- No VOC
- Meets Cleaning Performance test ASTM D4488-95-A5
- Biodegradable. In conformity with OCDE 301 E rule
- For interior residential, commercial and institutional use

Approximate Coverage: Varies with the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00116 [N373-07]
Cleaning Kit for Showers – Ceramic, Granite, Quartz & Glass	
700 mL (23.6 oz) spray bottle + 500 mL (16.0 oz) bottle PRO NET™	0017 [N373/305-10]



PRO STAIN CLEANER™

PRO STAIN CLEANER™ is an oil and grease stain remover (poultice-like) for stone, concrete and paving stone.

- Alkaline formula
- Won't etch marble and calcareous stones
- Safe for metals and glass
- Non-corrosive
- Slow evaporation for extended applications
- Faint odor
- No VOC
- Meets Cleaning Performance test ASTM D4488-95-A5
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage:

Ready-to-Use Formula: 946 mL (32 oz) bottle: 0.1 m² (1 ft²)

Ready-to-Use Formula: 4 L (1.05 US gal) bottle: 2.5 m² (25 ft²)

Packaging	Product Code
Ready-to-Use Formula:	
946 mL (32 oz) bottle	00226 [PN360-01]
4 L (1.05 US gal) bottle	00227 [PN360-04]



PRO STONE & QUARTZ CLEANER™

PRO STONE & QUARTZ CLEANER™ is designed for the regular maintenance of granite, quartz, marble and other natural stone counter tops as well as ceramic and melamine surfaces.



- No phosphates or ammonia
- Fast evaporation
- Lemon scent
- Leaves no streaks or soap residues
- No rinsing required
- Meets Cleaning Performance test ASTM D4488-95-A5
- Meets Yellowness of Polymer-Based Solar Screen/
- Window Film Performance test ASTM E313-05
- Meets Window Cleaning Performance test CSPA DCC-09
- Biodegradable – In conformity with OCDE 301 E rule
- For interior residential, commercial and institutional use

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
700 mL (23.6 oz) spray bottle	00130 [N323-07]
Concentrate:	
946 mL (32 oz) bottle	00132 [N323-01]



PRO DECAP™

PRO DECAP™ is a degreasing cleaner for tiles, natural stones, quartz and grout joints, that deep-cleans most domestic stains; removes waxes, water-based acrylic and urethane sealers and finishes.



- Use on ceramic and porcelain tiles, natural stone and quartz
- Cleans cementitious and epoxy grout
- Use on paving stones and concrete surfaces
- Use on vinyl, Luxurious Vinyl Tiles (LVT) and Vinyl Composition Tiles (VCT)
- Use on floors, walls, counters and backsplash
- Alkaline formula, non-corrosive
- No phosphates or ammonia
- Low odor
- Removes heavy dirt and grease
- Removes ink and marker stains
- No VOC
- Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- Meets Long Term Removability Properties of Emulsion Floor Polishes test ASTM D1792-06
- Meets Cleaning Performance test ASTM D4488-95-A5
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Concentrate:	
946 mL (32 oz) bottle	00040 [PD1010-01]
4 L (1.05 US gal) bottle	00041 [PD1010-04]



PRO DECAP™ ONE

PRO DECAP™ ONE is a high-performance remover used to aid the cleanup of PRO GROUT™ ONE premixed grout residues. PRO DECAP™ ONE can also be used to remove urethane construction glue residues, urethane insulating foam, acrylic sealers, and ink and marker stains.



- Removes PRO GROUT™ ONE premixed grout residues
- Removes Urethane glue residues (construction glue, PL glue)
- Removes urethane insulating foam
- Removes acrylic sealants residues
- Removes ink and marker stains
- Non-corrosive
- No phosphates or ammonia
- Low odor
- No VOC
- Meets Long Term Removability Properties of Emulsion Floor Polishes test ASTM D1792-06
- Meets Cleaning Performance test ASTM D4488-95-A5
- Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- Biodegradable – In conformity with OCDE 301 E rule
- For interior institutional, commercial and residential applications

Approximate Coverage: Varies with the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
250 mL (8.5 oz) spray bottle	00048 [PD1800-25]
946 mL (32 oz) bottle	00049 [PD1800-01]





PRO EFFLONET™

PRO EFFLONET™ is a ceramic joint cleaner specially formulated to eliminate efflorescence (whitish powder encrusted on the surface of the grout) caused by Portland cement. Removes light or heavy cement grout residues. PRO EFFLONET™ requires little rubbing and will not damage ceramic surface or original grout color.



- Use with ceramic, porcelain and granite
- Use on cementitious grout
- Use with paving stones and concrete surfaces
- Use on counters, floors, walls, showers, shower doors and toilets
- Use to remove rust from metal ramps and surfaces
- Removes calcium residues on car and entrance carpets
- Removes light rust and calcium rings in toilets, bathtubs, shower doors and knobs
- Faint odor
- Organic acid based cleaner
- Contains no phosphoric, hydrochloric or hydrofluoric acid
- No VOC
- Considered non-corrosive for skin, as per WHMIS, but corrosive by Health Canada because of pH < 1
- Meets Calcium Carbonate (Hard Water Scale) Solubility Test
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the concentration of cleaner used and the surface condition.

Packaging	Product Code
Concentrate:	
946 mL (32 oz) bottle	00401 [PR2000-01]
4 L (1.05 US gal) bottle	00404 [PR2000-04]



PRO EFFLONET™ MARBLE

PRO EFFLONET™ MARBLE is a NON-ACIDIC cement grout residue remover designed to safely remove cement grout residues on marble and calcareous stones. Also removes residues from grouts mixed with additives (such as PRO GROUT PLUS™).



- Safe on ceramic, porcelain and natural stone
- Won't etch marble and calcareous stones
- Removes cementitious grout residues
- Removes cementitious grout mixed with grout additives residues
- Removes thin set mortar residues
- Alkaline formula
- Doesn't affect tile polish
- Viscous formula for vertical applications
- Slow evaporation for extended applications
- Removes thin set mortar residues
- Faint odor
- Safe for metals and glass
- Non corrosive
- No VOC
- Meets Chemical Remover for Organic Coating test ASTM D6189-97
- Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
946 mL (32 oz) bottle	00120 [PD1500-01]
4 L (1.05 US gal) bottle	00121 [PD1500-04]



PRO REMOVER™ XTREME

PRO REMOVER™ XTREME is designed to safely remove PRO GROUT™ XTREME epoxy grout residues from tile and stone surfaces.



- Removes PRO GROUT™ XTREME epoxy grout residues
- Works on all epoxy grouts
- Use on ceramic, porcelain and most natural stone and quartz surfaces
- Use on countertops, floors, backsplashes and walls
- Won't remove epoxy grout lines
- Safe on concrete
- Viscous formula for a long lasting action and vertical application
- Slow evaporation for a long term action
- No phosphates or ammonia
- Low odor
- Safe on metals
- No VOC
- Meets Ecologic Environmental standards for Removers, Paints & Varnishes
- Meets Chemical Remover for Organic Coating test ASTM D6189-97
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage: Varies with the surface condition.

Packaging	Product Code
Ready-to-Use Formula:	
946 mL (32 oz) bottle	00059 [PD1900-01]



PRO GROUT™ EASE

PRO GROUT™ EASE is a fast-drying, water-soluble protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application.



- Use with all types of grout
- Use on ceramic, porcelain and natural stone tiles
- Use on Luxurious Vinyl Tiles (LVT)
- Use on acrylic baths and showers
- Fast drying
- Water soluble
- Faint odor
- No VOC
- Biodegradable – In conformity with OCDE 301 E rule
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage:

Ready-to-Use Formula: 946 mL (32 oz) bottle: 15 m² (150 ft²)
Ready-to-Use Formula: 4 L (1.05 US gal) bottle: 60 m² (600 ft²)

Packaging	Product Code
Ready-to-Use Formula:	
946 mL (32 oz) bottle	00110 [PR90-01]
4 L (1.05 US gal) bottle	00111 [PR90-04]





REFERENCE TABLE CLEANERS

SURFACE TYPE	PRO CLEAN™	PRO CARPET CLEANER™	PRO HARDWOOD CLEANER™	PRO LVT CLEANER™	PRO NET™ II	PRO SHOWER™	PRO STAIN CLEANER™	PRO STONE & QUARTZ CLEANER™	PRO DECAP™ *
Carpet – Rugs	—	★	—	—	—	—	—	—	—
Ceramic	○	—	—	—	★	○	—	★	★*
Cobblestone	○	—	—	—	—	—	★	★	★*
Concrete	—	—	—	—	★	—	★	—	★*
Glass Tiles	○	—	—	—	—	○	—	○	★*
Granite	○	—	—	—	★	○	★	○	★*
Grout – Cement (with or without Additive)	—	—	—	—	★	○	—	—	★*
Grout – Epoxy	—	—	—	—	★	○	—	—	★*
Grout – Pre-Mixed (Acrylic or Urethane)	—	—	—	—	★	○	—	—	★*
Hardwood and Engineered Wood	○	—	★	—	—	—	—	—	★*
Hardwood UV-Oiled	○	—	★	—	—	—	—	—	—
Laminate	○	—	★	—	—	—	—	—	★*
Limestone	○	—	—	—	—	—	★	★	★*
Marble	○	—	—	—	—	—	★	★	★*
Mexican Tiles	○	—	—	—	—	—	—	—	★*
Mosaic	○	—	—	—	—	○	—	★	★*
Onyx	○	—	—	—	—	—	★	★	★*
Porcelain	○	—	—	—	★	○	—	★	★*
Quartz (Composite)	○	—	—	—	★	—	★	★	★*
Quartzite	○	—	—	—	—	—	★	★	★*
Rubber – Tiles	○	—	—	★	—	—	—	—	★*
Slate – Dense (ex: Montauk or Vermont)	○	—	—	—	★	—	★	★	★*
Slate – Porous (ex: Chinese or Indian)	○	—	—	—	★	—	★	★	★*
Terra Cotta	○	—	—	—	—	—	—	—	★*
Terrazzo	○	—	—	—	—	—	★	—	★*
Travertine	○	—	—	—	—	—	★	★	★*
Vinyl – Composite Tile – VCT	○	—	—	★	—	—	—	—	★*
Vinyl – Plank – LVT	○	—	—	★	—	—	—	—	★*
Vinyl – Sheet (no wax)	○	—	—	★	—	—	—	—	★*

★ **BEST** ○ Good

* PRO DECAP is used for heavy-duty cleaning, so it may damage sealers and finishes. Apply to a small test area prior to use.

REFERENCE TABLE REMOVERS

SURFACE TYPE	PRO DECAP™	PRO DECAP™ ONE	PRO EFFLONET™	PRO EFFLONET™ MARBLE	PRO REMOVER™ XTREME	PRO GROUT EASE™ *
Efflorescence (grout joints)	—	—	★	○	—	—
Efflorescence (marble and calcareous stones)	—	—	—	★	—	—
Glue – Urethane Construction Glue (residues)	—	★	—	—	—	—
Glue – Wood	—	★	—	—	—	—
Grout - Cement (joints)	—	—	★	★	—	○*
Grout – Cement (residues)	—	—	★	★	—	○*
Grout – Cement mixed with Additive (residues)	—	—	★	★	—	○*
Grout – Epoxy (residues)	—	—	—	—	★	○*
Grout – Pre-Mixed, Acrylic or Urethane (residues)	—	★	—	—	—	○*
Ink – Pens or Markers	★	★	—	—	—	—
Paint – Alkyd and Solvent Based	—	—	—	—	★	—
Paint – Epoxy Based	—	—	—	—	★	—
Paint – Latex and Water Based	○	★	—	—	★	—
Rust (superficial)	—	—	★	—	—	—
Sealer – Water Based (Acrylic or Urethane)	★	—	—	—	—	—
Thin-Set Mortar	—	—	★	★	—	—
Wax	★	—	—	—	—	—

* PRO GROUT EASE is a protector for tile and stone designed to prevent grout residues of all types from sticking to the surface of tiles and stones in order to aid residue cleanup after grout application.

★ BEST ○ Good



PROTECTION AND ENHANCEMENT

**Proper protection is key to
keeping your installation beautiful
for years to come.**

PROMA offers a wide variety of quality sealers that protects the surface of your installation, while enhancing the look and providing long-lasting beauty and performance.

No matter what the installation condition, tile or stone type, or productivity demands, PROMA has the right solution to fit your needs.

Visit proma.ca for more information on
PROMA Finishing and Care products.



PRO HS-SEALER™ PLUS GLOSS FINISH



PRO HS-SEALER™ PLUS (GLOSS FINISH) is a high-performance water-based urethane sealer formulated to protect, enhance colors and leave a glossy finish on honed and textured-surfaced natural stone.

- Urethane formulation provides better performance than water-based acrylic sealers
- Use on textured or brushed-finished granite
- Use on slates
- Use on tumbled or honed-finished marble
- Use to seal sanded and unsanded cementitious grout joints
- Enhances stone colors
- Excellent protection against household dirt and stains
- Excellent water repellency
- Excellent oil and grease resistance
- Good leveling
- Dries quickly
- Faint odor
- No carcinogenic agents
- NPEO free – NMP free
- Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces
- Biodegradable – In conformity with OCDE 301 E rule
- Use on floors, walls, backsplashes and residential showers
- For interior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)
4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00065 [SU2245-01]
4 L (1.05 US gal) bottle	00066 [SU2245-04]



PRO HS-SEALER™ PLUS SATIN FINISH



PRO HS-SEALER™ PLUS (SATIN FINISH) is a high-performance water-based urethane sealer formulated to protect, enhance colors and leave a satin finish on honed and textured-surfaced natural stone.

- Urethane formulation provides better performance than water-based acrylic sealers
- Use on textured or brushed-finished granite
- Use on slates
- Use on tumbled or honed-finished marble
- Use to seal sanded and unsanded cementitious grout joints
- Enhances stone colors
- Excellent protection against household dirt and stains
- Excellent water repellency
- Excellent oil and grease resistance
- Good leveling
- Dries quickly
- Faint odor
- No carcinogenic agents
- NPEO free – NMP free
- Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces
- Biodegradable – In conformity with OCDE 301 E rule
- Use on floors, walls, backsplashes and residential showers
- For interior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)
4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00045 [SU2295-01]
4 L (1.05 US gal) bottle	00047 [SU2295-04]



*Varies depending on porosity and texture of surface, temperature, humidity and method of application.



PRO HS-SEALER™ GLOSS FINISH



PRO HS-SEALER™ (GLOSS FINISH) is a high-performance water-based acrylic sealer formulated to protect, enhance colors and leave a glossy finish on honed and textured-surfaced natural stones.

- Water-based topical sealer formulated to protect honed, textured or brushed-finished surfaces
- Use on granite and slate
- Use on marble, cobblestone, travertine
- Use to seal sanded and un-sanded cementitious grout joints
- Enhances stone colors
- Good protection against household dirt and stains
- Good water repellency
- Good oil and grease resistance
- Good leveling
- Dries quickly
- Faint odor
- Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces
- Biodegradable – In conformity with OCDE 301 E rule
- Use on floors, walls and backsplashes
- For interior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00017 [PS245-01]
4 L (1.05 US gal) bottle	00018 [PS245-04]



PRO HS-SEALER™ SATIN FINISH



PRO HS-SEALER™ (SATIN FINISH) is a high-performance water-based acrylic sealer formulated to protect, enhance colors and leave a satin finish on honed and textured-surfaced natural stones.

- Water-based topical sealer formulated to protect honed, textured or brushed-finished surfaces
- Use on granite and slate
- Use on marble, cobblestone, travertine
- Use to seal sanded and un-sanded cementitious grout joints
- Enhances stone colors
- Good protection against household dirt and stains
- Good water repellency
- Good oil and grease resistance
- Good leveling
- Dries quickly
- Faint odor
- Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)
- Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces
- Biodegradable – In conformity with OCDE 301 E rule
- Use on floors, walls and backsplashes
- For interior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00035 [PS295-01]
4 L (1.05 US gal) bottle	00036 [PS295-01]



PRO SEAL™ II

PRO SEAL™ II is a water-based acrylic sealer for cement grout that cures to form a highly-resistant barrier to staining from most domestic contaminants, such as grease, acids, coffee, wine, soft drinks, cooking oils, etc. and wear. PRO SEAL II slightly enhances color and gloss, resistance to freeze-thaw exposure and dramatically eases the cleaning process.



- **Water-based topical sealer formulated to seal sanded and unsanded cementitious grout joints**
- **Low color enhancement**
- **Low sheen**
- **Good protection against household dirt and stains**
- **Good water repellency**
- **Good oil and grease resistance**
- **No food transmission**
- **Dries quickly**
- **Faint odor**
- **No ammonia**
- **Meets Chemical Resistance test CAN/CGSB-25.20-95 for floor surface sealers (Type 1)**
- **Meets Static Coefficient of Friction test ASTM D2047 for polished-coated floor surfaces**
- **Meets Environmental standards for acrylic floor sealers and finishes**
- **Biodegradable – In conformity with OCDE 301 E rule**
- **For interior institutional, commercial and residential applications**

Approximate Coverage (6 mm [1/4"] joint, 30 x 30 cm [12" x 12"] tiles): *

500 mL (16.9 oz) bottle: 30 m² (325 ft²)

4 L (1.05 US gal) bottle: 240 m² (2,500 ft²)

Packaging	Product Code
500 mL (16.9 oz) bottle	50500 [S100-05]
4 L (1.05 US gal) bottle	50004 [S100-04]



PRO AQUASEAL™ PLUS NATURAL FINISH



PRO AQUASEAL™ PLUS is a high-performance water-based penetrating sealer formulated to protect natural stones and ceramic tiles leaving a natural look with no sheen and apparent coating.

- **Natural look – no glossy finish or color enhancement**
- **Use to protect ceramic tile and natural stone**
- **Use on all types of stone finishes**
- **Use to seal sanded and unsanded cementitious grout joints**
- **Full strength protection is achieved after only a 3 day curing time**
- **No superficial film when dry**
- **Excellent protection against household dirt and stains**
- **Excellent water repellency**
- **Excellent oil and grease resistance**
- **No food transmission**
- **Faint odor**
- **Use on floors, walls, counter tops, showers and backsplashes**
- **For interior and exterior institutional, commercial and residential applications**

Approximate Coverage (2 coats)*

500 mL (16.9 oz) bottle: 5.2 m² (56 ft²)

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
500 mL (16.9 oz) bottle	00089 [PS400-05]
946 mL (32 oz) bottle	00087 [PS400-01]
4 L (1.05 US gal) bottle	00088 [PS400-04]



PRO AQUASEAL™ NATURAL FINISH



PRO AQUASEAL™ is a water-based penetrating sealer formulated to protect natural stones, ceramic, porcelain and glass tiles as well as grout; leaving a natural look with no sheen and no apparent coating.

- **Natural look – no glossy finish or color enhancement**
- **Use to protect ceramic tile and natural stone**
- **Use on all types of stone finishes**
- **Use to seal sanded and unsanded cementitious grout joints**
- **Full strength protection is achieved after only a 3 day curing time**
- **No superficial film when dry**
- **No food transmission**
- **Excellent protection against household dirt and stains**
- **Faint odor**
- **Use on floors, walls, counter tops, showers and backsplashes**
- **For interior and exterior institutional, commercial and residential applications**

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00085 [PS670-01]
4 L (1.05 US gal) bottle	00086 [PS670-04]



*Varies depending on porosity and texture of surface, temperature, humidity and method of application.



PRO MPG SEALER™ PLUS NATURAL/COLOR ENHANCER

PRO MPG SEALER™ PLUS is a high-performance water-based penetrating sealer formulated to protect natural stones and quartz leaving no apparent film with color enhancement and no sheen.



- Natural look – no sheen
- Color enhancement
- Use to protect natural stones – all finishes
- Use to protect quartz – honed, mat and leather finish
- Use to seal sanded and unsanded cementitious grout joints
- Full strength protection is achieved after only a 3 day curing time
- No superficial film when dry
- Excellent protection against household dirt and stains
- Excellent water repellency
- Excellent oil and grease resistance
- No food transmission
- Faint odor
- Use on floors, walls, counter tops, showers and backsplashes
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
946 mL (32 oz) bottle	00125 [PS480-01]
4 L (1.05 US gal) bottle	00126 [PS480-04]



PRO NANO SEAL™ WET LOOK/COLOR ENHANCER

PRO NANO SEAL™ is an organic solvent-based impregnating sealer designed to give a wet look and protect natural stones.



- Wet look – no sheen
- Strong color enhancement
- Use on all types of finishes, but is best on polished and honed surfaces
- Use to seal sanded and unsanded cementitious grout joints
- Full strength protection is achieved only after 3-5 day curing time
- No superficial film when dry
- Good protection against household dirt and stains
- Good water repellency
- Good oil and grease resistance
- Faint odor
- 0 VOC solvent
- Use on floors, walls and backsplashes
- For interior and exterior institutional, commercial and residential applications

Approximate Coverage (2 coats)*

500 mL (16.9 oz) bottle: 5.2 m² (56 ft²)

946 mL (32 oz) bottle: 10 m² (108 ft²)

4 L (1.05 US gal) bottle: 40 m² (430 ft²)

Packaging	Product Code
500 mL (16.9 oz) bottle	00094 [PS570-05]
946 mL (32 oz) bottle	00095 [PS570-01]
4 L (1.05 US gal) bottle	00096 [PS570-04]



REFERENCE TABLE SEALERS

SURFACE TYPE	PRO HS-SEALER™ PLUS GLOSS FINISH	PRO HS-SEALER™ PLUS SATIN FINISH	PRO HS-SEALER™ PLUS GLOSS FINISH	PRO HS-SEALER™ PLUS SATIN FINISH	PRO SEAL™ II	PRO AQUASEAL™ PLUS NATURAL FINISH	PRO AQUASEAL™ NATURAL FINISH	PRO MPG SEALER™ PLUS NATURAL / COLOR ENHANCER	PRO NANO SEAL™ WET LOOK / COLOR ENHANCER
Basalt Stone	—	—	—	—	—	★	○	★	○
Brick – Decorative	—	—	—	—	—	★	○	★	○
Ceramic	—	—	—	—	—	★	○	—	—
Concrete	—	—	—	—	—	★	○	★	○
Cobblestone - Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Cobblestone – Polished	—	—	—	—	—	★	○	★	○
Glass Tiles	—	—	—	—	—	★	○	—	—
Granite - Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Granite - Polished	—	—	—	—	—	★	○	★	○
Grout	—	—	—	—	★*	○	○	★	○
Limestone – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Limestone – Polished	—	—	—	—	—	★	○	★	○
Marble – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Marble – Polished	—	—	—	—	—	★	○	★	○
Mexican Tiles	—	—	—	—	—	★	○	★	○
Mosaics	—	—	—	—	—	★	○	★	○
Onyx – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Onyx – Polished	—	—	—	—	—	★	○	★	○
Porcelain	—	—	—	—	—	★	○	—	—
Quartz (Composite)	—	—	—	—	—	★	○	★	○
Quartzite	★*	★*	○*	○*	—	○	○	○	○
Sandstone	★*	★*	○*	○*	—	○	○	○	○
Slate – Dense (ex: Montauk or Vermont)	★*	★*	—	—	—	○	○	○	○
Slate – Porous (ex: Chinese or Indian)	★*	★*	○*	○*	—	○	○	○	○
Terra Cotta	—	—	—	—	—	★	○	★	○
Terrazzo Floors	—	—	—	—	—	★	○	—	—
Travertine – Honed, Textured or Tumbled	★*	★*	○*	○*	—	○	○	○	○
Travertine – Polished	—	—	—	—	—	★	○	★	○

* INTERIOR use only.

★ BEST ○ Good



PROMA Adhesives Inc.

9801, Parkway, Anjou, Quebec Canada H1J 1P3

Tel: 514.852.8585 • Fax: 514.852.8225

Toll-free: 1 866.51.PROMA (77662)

Email: info@proma.ca

© 2023 PROMA Adhesives, Inc.

Visit proma.ca for more information on
PROMA Finishing and Care products.

